
VERNON LINE

Phrynosoma coronatum

Phrynosoma Coronatum

Species *Phrynosoma coronatum*

See front page for number meaning

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Remarks See front page
2	8.5	7.8	9.6	7.3	84	14 Apr 1959	4100	1 mi. N.W. of Phelan 14-3 San Bernardino Co., Calif.	~~3~~ 1 4 8
5	3.8	2.7	3.8	2.8	59	9 May '59	3225	2 mi. N. of Cedar Springs, San Bernardino Co., Calif. 8-3	1 2
~~6~~						~~7 July 59~~	~~1500~~	~~UCR Campus Riverside Co., Calif.~~	
13	11.0	7.8	10.7	7.7	100	4 May '62	3190	Hesperia, San Bernardino Co., Calif. 10-3	1 4 8+ 16
14	10.1	8.0	10.1	7.5	92	18 May '62	2500	Bautista Canyon, Riverside Co., Calif. 43-1	1 4 8 16
15	11.3	9.0	13.2	8.4	94	31 May '63	~2500	Calimesa, Riverside Co., Calif. 31-1	1 4 8 16
16	6.8	4.8	3.0	1.8	97	2 June '63	3000	Box Springs Mts. (near Big "C"), Riverside Co., Calif. 1-1	1 4 16 Right testis atrophied & removed. L. testis quite small for this sized lizard.
18	9.0	6.6	9.0	6.2	95	20 May '67	4000	3 mi. S.W. of Anza, Riverside Co., Calif.	1 4 7 8 16
20	11.4	8.0	10.7	7.1	98	"	"	"	1 4 7 8 16
21	10.4	8.1	10.8	7.5	90	"	3000	8 mi. S.W. of Anza, Riverside Co., Calif.	1 4 8 16
22	9.5	6.6	9.3	6.5	87	"	4000	4 mi. S.W. of Anza, Riverside Co., Calif.	1 4 7 8 16
27	8.7	7.1	10.1	7.4	76	27 May '67	"	10 mi. S. of Banning, Riverside Co., Calif.	1 4 8 16
29	11.1	8.1	10.8	7.7	77	"	"	"	1 4 8 16 Both testes removed
30	11.3	7.5	11.0	7.4	80	"	"	"	1 4 8 16 "

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/reptilegonadalda00mayh_3

Species PHRYNOSOMA CORONATUM

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks

Species _____

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Alt. (ft.)	Locality	Remarks

Species Phrynosoma coronatum blainvellii Sex Male

Locality	Cat. No.	Date	Bt C°	SV mm	Body Wh Gonad wt.	Gonad measurements	notes
Tapia Park, Santa Monica Mtsl, Los Angeles Co.	PhCB-1 UCLA 4080	Apr.9 1949	35.5°	84mm		testes 12mm gd	RGZ-419
Tujunga, N. edge Verdugo Hills, Los Angeles Co Calif.	PhC -2	May 1 1949		85mm		testes 13mm epid very distended	RGZ-536

Phrynosoma m'calli

Phrynosoma m'calli

Species: *Phrynosoma m'calli*

ad = 63 mm
im - 45 mm

S-V length
N = 148
Range = 63 – 83 mm.
Mean = 73 mm.

Tag No.	Left testicle: Length	Left testicle: Width	Right testicle: Length	Right testicle: Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Remarks
2	2.9	1.4	3.3	1.4	61	23 May '59	100	2 mi. N. of Indio, Riverside Co., Calif. 4-1	(2?) (1)
3	6.2	4.7	6.1	3.5	71	19 June '59	300	2 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	Both testes left in animal (no Bouin's present at right time.) (8)
5	6.0	3.9	5.7	3.8	69	"	300	3 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(3) (1)
6	9.5	6.9	8.4	7.2	80	20 July '59	400	1 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(7) (4) (8) (3) (1)
7	7.8	5.1	7.1	5.0	71	"	300	10 mi. W. of Glamis, Imperial Co., Calif. 3-4	(3) (4) (8) (1)
9	8.4	5.9	8.1	5.7	75	21 July 59	200	12 mi. W. of Glamis, Imperial Co., Calif. 3-4	(3) (4) (8) (1)
14	7.8	5.7	8.0	5.6	66	9 May '60	300	10 mi. W. of Glamis, Imperial Co., Calif. 3-4	(1) (4) (7) (8)
16	6.9	5.0	6.9	5.1	61	"	"	"	(1) (4 slight) (8)
20	9.5	6.2	9.0	5.9	69	"	"	8 mi. W. of Glamis, Imperial Co., Calif. 3-4	(1) (4) (7) (8)
22	9.8	7.5	9.9	6.8	72	9 June '60	"	12 mi. W. of Glamis, Imperial Co., Calif. 3-4	(1) (4) (7) (8)
26	9.6	6.2	10.1	6.5	82	23 July '60	500	PALM SPRINGS, RIVERSIDE CO., CALIF. 4-1	(1) (4) (8) (7)
29	10.5	6.2	9.5	6.2	76	9 Aug. '60	300	10 mi. W. of GLAMIS, IMPERIAL CO, CALIF. 3-4	(1) (4) (8)
33	4.1	2.6	3.5	2.4	61	9 Sept. '60	"	8 mi. W. of Glamis, Imperial Co., Calif. 3-4	(1) (7)

Phrynosoma m'calli

34	5.0	3.8	4.8	3.2	51 (capture) 63 (autop.)	9 Sept. '60	300	9 mi. W. of Glamis, Imperial Co., Calif.	3-4	1 4 7 9 Testes highly vascularized. Autopsied 3/8/61.
36	5.9	3.8	5.1	3.6	66	26 Mar. '61	"	10 mi. W. "	3-4	1 liver infested with parasites.
37	3.0	1.7	3.0	1.7	54	"	"	8 mi. W. "	3-4	1 2?
38	7.4	5.1	7.1	5.4	69	15 Apr. '61	"	11 mi. W. "	3-4	1 4
39	3.3	2.3	3.2	2.1	60	"	"	10 mi. W. "	3-4	2? 1
41	10.5	8.7	7.1	5.1	70	"	"	7 mi. W.	3-4	1 4 8
42	8.1	5.0	8.0	5.1	68	"	"	7 mi. W. "	3-4	1 4 7 8 rt. side
43	6.5	4.4	6.2	4.7	68	16 Apr. 61	"	9 mi. W. "	3-4	1 slight 4
44	10.1	6.2	9.3	6.5	80	"	"	7 mi. W. "	3-4	1 4 7 8
46	7.2	5.0	7.2	4.7	73	"	"	9 mi. W. "	3-4	1 slight 4
48	9.8	6.9	9.3	6.3	73	"	"	10 mi. W. "	3-4	1 4 8
51	Missing		6.5	3.2	60	13 May '61	"	10 mi. W. "	3-4	13 2?
52	6.2	4.5	6.0	4.8	74	"	"	9 mi. W. "	3-4	1 slight 4
53	8.7	6.3	8.1	6.0	66	"	"	9 mi. W. "	3-4	1 4 8 Liver heavily parasitized.

PHRYNOSOMA M'CALLI

55	2.8	1.5	3.5	2.0	58	7 June '61	300	11 mi. W. of Glamis, Imperial Co., Calif.	3-4	(13) (2?)	
56	6.9	4.7	6.6	4.2	72	"	"	10 mi. W. "	3-4	(13) (4) (8)	
57	2.9	1.5	Missing		59	8 June '61	"	"		(13) (2?)	
59	8.9	5.3	7.8	5.4	73	7 June '61	"	"		(1) (4) (7) (8)	
60	8.4	4.7	7.5	5.1	75	"	"	"		(1) (4) (8)	liver parasitized
61	7.8	4.5	6.6	4.5	74	8 June '61	"	9 mi. W. "	3-4	(1) (4) (8)	
62	7.8	5.4	6.6	5.3	72	"	"	10 mi. W. "	3-4	(1) (4) (7) (8)	
65	7.1	4.8	6.5	4.5	74	"	"	13 mi. W. "	3-4	(1) (slight 4)	
69	4.5	3.8	4.7	3.6	67	25 June '61	"	9 mi. W. "	3-4	(1) (2?)	
76	8.3	5.9	9.8	6.6	74	10 July '61	"	"		Right testis removed. (4) (7) (8)	liver parasitized.
82	10.5	6.0	10.5	6.3	71	17 July '61	475	Palm Springs, Riverside Co., Calif.	4-1	(1) (4) (7) (8)	
83	Missing		10.1	6.5	~83	23 July '61	300	8 mi. W. of Glamis, Imperial Co., Calif.	3-4	(4) (8) (13)	DOR
84	8.1	5.3	6.9	5.3	69	21 July '61	300	13 mi. W. "	3-4	(1) (4) (8)	
86	8.7	6.8	8.1	7.1	70	"	"	11 mi. W "	3-4	(1) (4) (8)	

88	10.7	6.3	9.0	6.2	76	21 July '61	300	9 mi. W. of Glamis, Imperial Co., Calif.	3-4	1 4 8	
89	5.4	3.8	5.7	4.1	73	22 July, '61	"	11 mi. W. "	3-4	1	
105	9.9	6.3	9.6	6.3	77	23 July '61	"	9 mi. W. "	3-4	1 4 8	
90	9.3	7.1	9.8	7.8	78	22 July '61	"	10 mi. W. "	3-4	1 4 8	
96	8.6	5.6	8.3	5.4	76	"	"	"		1 4 8	
97	9.5	6.5	10.1	6.0	74	"	"	9 mi. W. "	3-4	1 4 8	parasitized liver
99	10.1	6.5	9.3	5.7	79	"	"	10 mi. W. "	3-4	1 4 8	
102	12.3	7.2	10.7	6.8	81	23 July '61	"	9 mi. W. "	3-4	1 4 8	
104	9.3	6.5	7.4	5.4	75	"	"	7 mi. W. "	3-4	1 4 8	
108	7.8	5.4	8.6	5.4	73	12 Aug. '61	"	8 mi. W. "	3-4	1 4 8	parasitized liver
113	7.8	5.6	7.5	5.1	71	"	"	9 mi. W. "	3-4	1 4 8	
122	8.6	5.6	8.7	6.0	70	13 Aug. '61	"	12 mi. W. "	3-4	1 4 8	parasitized liver
123	10.1	6.6	9.0	6.6	78	"	"	13 mi. W. "	3-4	1 4 8	

127	3.0	1.5	2.7	1.5	62	11 Sept. '61	300	8 mi. W. of Glamis	3-4	1 2?
128	4.2	2.6	3.3	2.7	64	11 Sept. 61	"	"		slight 4 1
129	2.7	1.7	2.9	1.8	62	"	"	10 mi W "	3-4	slight 4 1
133	5.0	2.3	4.1	3.0	76	16 Sept. 61	475	Palm Springs Riverside Co., Calif.	4-1	1 4 8
134	5.4	3.2	4.2	2.4	75	7 Oct. '61	300	9 mi. W. of Glamis, Imperial Co., Calif.	3-4	1 liver heavily parasitized
136	4.8	2.6	3.9	1.8	74	"	"	11 mi. W. "	3-4	1 liver parasitized
139	3.0	1.7	3.2	1.5	49	14 Apr. '62	"	12 mi. W. "	3-4	13 16 2
140	10.2	6.8	9.2	7.5	73	"	"	7 mi. W. "	3-4	1 4 8 17 WIEGLERS
141	11.0	7.5	10.5	7.1	76	"	"	14 mi. W. "	3-4	1 4 8+ 22 17
144	7.2	5.1	6.8	5.3	60	"	"	10 mi. W. "	3-4	13 22 15
147	5.3	4.1	5.1	3.8	61	"	"	9 mi. W. "	3-4	17 7 1
150	7.7	5.4	7.4	5.7	65	"	"	12 mi. W. "	3-4	17 1
152	9.6	5.9	—	—	77	24 Apr. '62	475	Palm Springs, Riverside Co., Calif.	4-1	13 4 8 8
154	5.4	3.9	5.7	3.3	66	13 May '62	300	9 mi. W. of Glamis, Imperial Co., Calif.	3-4	13 15

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
155	7.4	5.1	7.5	5.3	73	12 May '62	300	10 mi. W. of Glamis, Imperial Co., Calif. 3-4	1 4 8+ 16
156	8.3	4.8	7.1	5.1	72	"	"	"	1 4 8+ 16
158	8.0	6.0	8.4	5.7	69	13 May '62	"	9 mi. W. " 3-4	1 4 8+ 16
159	5.9	4.1	6.0	4.4	71	"	"	"	1 17
160	7.2	4.8	6.5	4.5	71	"	"	"	1 4 8+ 17
162	8.1	5.6	7.7	5.9	71	"	"	13 mi. W. " 3-4	1 4 8+ 16
163	9.6	6.3	8.7	6.5	78	"	"	11 mi. W. " 3-4	1 4 8+ 16 22
165	9.0	6.6	8.1	6.0	81	"	"	9 mi. W. " 3-4	1 4 8+ 17
166	9.8	6.9	10.2	6.6	79	13 June, '62	"	10 mi. W. " 3-4	1 4 8 16
167	8.4	5.4	8.4	5.7	77	"	"	"	7 1 4 8 16
169	9.8	7.1	9.5	6.6	77	11 July, '62	475	Palm Springs, Riverside Co., Calif. 4-1	B 7 1 4 8+ 16
170	9.2	6.0	8.3	6.0	74	"	"	"	1 4 8+ 17 B

Species PHRYNOSOMA M'CALLI.

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
173	8.3	5.6	8.4	5.7	76	20 July, '62	300	9 mi. W. of Glamis, Imperial Co., Calif. 3-4	B 1 4 8 16
182	3.6	2.6	3.8	2.6	60	14 Apr. '62	"	West of Glamis, Imperial Co., Calif. 3-4	9 13 16 seminiferous tubules visible in testes. Dissected 7/30/62. (T.C. #1)
183	—	—	—	—	71	5 Aug. '62	"	11 mi. W. " 3-4	B 4 8 13 22
184	8.6	5.7	8.0	5.7	72	4 Aug. '62	"	9 mi. W. " 3-4	B 22 1 4 (8+) 16
188	9.6	7.1	10.1	6.8	78	"	"	12 mi. W. " 3-4	B 1 4 (8+) 16
190	9.0	5.7	8.4	6.0	76	"	"	13 mi. W. " 3-4	B 1 4 (8+) 16
192	9.0	6.6	8.7	6.3	76	"	"	10 mi. W. " 3-4	B 22 1 4 (8+) 17
193	9.3	6.3	8.4	6.0	76	5 Aug, '62	"	9 mi. W. " 3-4	B 1 4 (8+) 16
195	8.9	6.0	8.4	5.7	74	"	"	10 mi. W. " 3-4	B 22 1 4 (8+) 16
196	7.8	5.7	8.0	5.3	75	8 Aug., '62	475	Palm Springs, Riverside Co., Calif. 4-1	B 1 4 (8+) 17
197	8.0	5.0	8.1	5.0	73	11 Aug. '62	300	11 mi. W. of Glamis, Imperial Co., Calif. 3-4	B 13 4 8 17
205	—	—	8.0	5.0	68	28 Apr. '63	"	12 mi. W. " 3-4	B 4 8 13

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
206	8.1	5.9	9.8	5.3	72	24 May 63	300	7 mi. W. of Glamis, Imperial Co., Calif. 3-4	(4) (8) (13) (16)
210	2.6	1.5	2.0	1.2	63	25 May '63	"	12 mi. W. " 3-4	(13) [illegible] (16)
211	—	—	—	—	78	26 May '63	"	11 mi. W. " 3-4	(13) (16) (4) (8)
212	6.0	3.8	5.0	3.0	70	"	"	12 mi. W. " 3-4	(13) (16)
215	9.0	5.7	8.7	5.3	75	3 Aug. '64	475	Palm Springs, Riverside Co., Calif. 4-1	(B) (4) (6) (16)
221	2.6	0.9	2.7	1.2	57	30 Oct. '64	300	8 mi. W. of Glamis, Imperial Co., Calif. 3-4	(2) (B) (13) (17)
222	3.6	1.8	3.6	1.5	65	"	"	12 mi. W. 3-4	[illegible] (B) (13) (16)
225	9.2	5.6	7.8	5.7	79	15 Apr. '67	300	8 mi. W. "	(B) (17) Both Testes removed
226	8.0	5.6	8.1	5.6	72	26 Apr. 67	300	11 mi. W. "	(4) (8) (17)
227	7.8	5.0	7.4	5.1	72	"	"	11 mi. W. "	(4) (17)
229	8.0	5.9	7.7	5.6	77	"	"	8 mi. W. "	(4) (8) (16)
231	6.2	4.4	5.9	3.9	69	"	"	11 mi. W. "	(17)

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Elevation (ft.)	Locality	Remarks
232	8.1	5.4	7.5	5.3	73	26 Apr'67	300	9 mi. W Glamis Imperial Co., Calif.	4 8 17
235	8.3	6.0	9.0	5.7	70	"	"	14 mi. W. "	4 8 16
237	8.6	6.0	7.5	5.6	74	"	"	12 mi. W. "	4 8 16
239	7.8	5.6	7.4	5.4	70	"	"	13 mi. W. "	16 4 8
240	9.2	5.0	9.0	5.7	76	"	"	12 mi. W. "	4 8 16
241	6.9	4.4	7.4	4.7	73	"	"	"	16
242	6.3	4.2	5.9	4.4	65	"	"	10 mi. W. "	22 16
244	8.4	5.1	8.9	5.3	76	15 May'67	475	Palm Springs Panorama, Riverside Co., Calif.	4 16
245	7.2	4.5	6.2	4.5	67	"	"	"	17
247	9.6	6.2	9.6	6.0	76	"	"	"	4 7 8 16
248	10.2	7.4	9.5	6.8	75	"	"	"	4 7 8 16
250	7.5	5.1	7.4	5.0	70	"	"	"	4 7 16

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
251	9.0	6.0	8.4	6.0	74	15 May '67	475	Palm Springs Panorama, Riverside Co., Calif.	4 8 7 16
252	6.6	4.5	6.2	4.1	69	"	"	"	7 16
253	7.2	5.4	7.5	5.0	72	19 May '67	300	11 mi. W. of Glamis, Imperial Co., Calif.	4 7 8 17
260	6.9	4.4	6.0	4.2	75	"	"	11 mi. W. "	17
261	4.5	3.2	4.5	3.0	66	"	"	11 mi. W. "	2? 17
262	7.5	5.1	6.3	4.5	72	"	"	10 mi. W. "	4 8 17
263	8.3	5.7	7.5	5.7	71	"	"	9 mi. W. "	4 8 16
264	5.7	3.8	5.6	3.8	71	"	"	9 mi. W. "	4 8 17 22
266	9.3	6.8	8.9	6.3	78	"	"	10 mi. W. "	4 8 17
268	8.1	5.3	8.0	5.1	75	20 May '67	475	Palm Springs Panorama, Riverside Co., Calif.	7 4 8 17
269	8.6	4.7	7.7	4.8	70	"	"	"	4 8 17
271	7.5	4.8	7.8	4.2	68	"	"	"	4 8 17

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
272	10.1	4.8	7.8	5.4	70	20 May '67	475	Palm Springs Panorama, Riverside Co., Calif.	4 8 16
273	7.2	4.5	6.3	5.3	69	"	"	"	4 8 17
274	7.5	5.3	7.1	5.3	73	"	"	"	4 7 8 17
277	9.2	5.9	7.7	5.4	76	"	"	"	4 8 17
278	10.7	8.0	9.9	7.5	80	"	"	"	4 7 8 16 23
279	8.0	5.9	7.7	5.7	73	"	"	"	4 8 16
280	5.1	2.9	5.0	3.0	65	"	"	"	2? 7 16
283	4.7	3.0	4.2	3.0	62	7 June '67	"	"	2 7 16
284	7.7	5.7	7.8	5.6	74	"	"	"	4 8 16 1
285	8.0	5.7	8.6	6.0	76	"	"	"	4 8 16 1
288	8.7	5.9	8.4	5.9	78	"	"	"	4 7 8 16 1
289	8.7	5.7	9.0	6.0	74	"	"	"	4 7 8 16 1

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
292	9.2	6.3	9.3	6.5	77	15 June '67	475	Palm Springs Panorama, Riverside Co., Calif.	1 4 7 8 16
293	9.2	6.3	8.9	5.9	78	"	"	"	1 4 8 16
294	9.5	7.4	8.9	6.3	76	"	"	"	1 4 7 8 16
295	9.9	6.9	8.7	6.2	76	"	"	"	1 4 8 16
296	7.4	5.3	7.5	5.1	70	"	"	"	1 4 8 16
297	6.8	4.2	6.8	4.1	67	"	"	"	1 4 8? 16
298	6.6	4.2	5.9	4.2	73	"	"	"	1 4 8 16
306	7.8	5.7	7.7	5.1	73	16 June '67	300	8 mi. W. of Glamis, Imperial Co., Calif.	1 4 8 17
308	9.2	6.0	9.5	5.6	74	"	"	12 mi. W. "	1 4 7 8 16
310	8.1	4.8	7.5	4.8	72	"	"	13 mi. W. "	1 4 8 16
313	9.8	6.6	8.7	5.6	76	11 July '67	475	Palm Springs Panorama, Riverside Co., Calif.	1 4 8 16
314	9.2	6.0	9.7	5.6	74	"	"	"	1 4 7 8 16

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
316	8.7	6.0	8.9	5.6	70	11 July '67	475	Palm Springs Panorama, Riverside Co., Calif.	1 4 5 16
317	9.9	6.5	9.3	6.0	77	"	"	"	1 4 5 16
318	11.1	6.9	9.3	6.9	80	"	"	"	1 4 5 16
320	9.5	4.8	8.3	5.3	75	"	"	"	1 4 8 17
321	7.2	4.8	6.9	4.5	68	"	"	"	1 4 5 16
322	8.6	6.0	8.1	6.0	73	15 Aug. '67	"	"	1 4 8 17
323	10.2	6.0	8.4	5.4	75	16 Aug. '67	300	8 mi. W. of Glamis, Imperial Co., Calif.	1 4 8 17 22
324	9.8	6.5	9.5	6.8	77	"	"	10 mi. W. "	1 4 5 17
326	8.7	4.8	8.9	5.3	73	17 Aug. '67	475	Palm Springs Panorama, Riverside Co., Calif.	1 4 5 16
328	10.5	6.9	10.1	7.2	79	13 Apr. '68	475	"	4 5 16
329	11.3	7.4	12.0	7.4	75	27 Apr. '68	300	11 mi. W. of Glamis, Imperial Co., Calif.	4 5 16 13
330	8.6	5.7	8.1	5.9	73	28 Apr. '68	300	9 mi. W. "	4 8 16

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks

Species PHRYNOSOMA M'CALLI

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks

EXPERIMENTAL

Species PHRYNOSOMA M'CALLI

Tag. No.	Toe-clip No.	Left Testis (mm)		Right Testis (mm)		Autopsy S-V Length (mm)	Date Experiment Began	Date Autopsied	Experiment	Remarks
		Length	Width	Length	Width					

Phrynosoma platyrhinos

Phrynosoma platyrhinos

Species Phrynosoma platyrhinos #14

ad = 65 mm

Tag No.	Left testicle Length	Left testicle Width	Right testicle Length	Right testicle Width	Snout-vent length (mm)	Date collected	Altitude (ft)	Locality	Remarks
1	4.75	3	5	2.75	68	9/18/58	2150	Pisgah Lava Flow, 10 mi. W. of Ludlow, San Bernardino Co., Calif. 58-3	See front page. Left test is removed and fixed in Bouin's Sol.
2	5.5	4	6	3.75	71	10/17/58	1800	10 mi E. of Newberry, San Bernardino Co., Calif 69-3	"
4	3.2	2.2	4.3	2.4	62	10 Apr '59	—	15½ mi W of Shoshone Inyo Co., Calif. 94-19	(1)
5	7.5	5.0	7.2	4.0	72	30 Apr. '59	600	5 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(4) (7) (1) (8)
6	3.2	0.8 ~~2.0~~	2.6	1.0	56	9 May '59	3250	7½ mi. W. of Lucerne Valley, San Bernardino Co., Calif. 81-3	(2) (1)
7	4.7	2.9	4.7	2.6	68	12 June '59	600	5 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(1)
8	2.7	2.1	2.7	1.8	55	19 June '59	250	8 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(2?) (1)
9	6.0	3.5	6.0	3.5	74	"	200	1 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(8) (1)
10	6.2	4.7	6.2	4.8	67	"	600	6 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(4) (8) (1)
11	8.1	5.3	8.4	5.0	74	17 Aug '59	500	Palm Springs, Riverside Co., Calif. 4-1	(7) (4) (8) (1)
12	8.1	6.5	9.0	5.9	78	18 Aug '59	"	3 mi N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(4) (8) (1)
15	3.3	2.0	3.2	1.8	66	11 Sept. '59	2050	31 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	(1)
17	12.6	7.8	11.7	6.6	78	20 Mar '60	3000	2 mi S. of Desert (Twenty Nine Palms Dry Lake) San Bernardino Co., Calif. 37-3	(1) (7) (4 slight)

Species: Phrynosoma platyrhinos

Tag No.	Left testis(mm) Length	Left testis(mm) Width	Right testis(mm) Length	Right testis(mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
18	10.4	7.2	10.8	7.4	77	21 Mar '60	4200	3 mi E. of Rainbow Wells, San Bernardino Co., Calif. [32 3]	1
19	9.2	6.2	9.0	6.3	75	"	"	"	1 7
20	9.3	6.0	10.4	6.2	75	14 Apr. '60	600	3 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	4 7 8 D.D.R.
21	13.1	8.4	12.0	8.3	92	12 Apr. '60	1200	27 mi. W. of Rice, Riverside Co., Calif. 16-1	1 4 7 8
22	9.2	7.1	9.3	6.9	62	14 Apr. 60	600	4 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	1 4 7 8
23	8.6	7.2	9.8	6.3	74	"	"	"	1 4 7 8
24	11.4	8.1	11.0	7.7	86	"	475	Palm Springs, Riverside Co., Calif. 4-1	1 4 7 8
25	12.6	8.3	11.9	7.2	84	21 Apr. '60	1100	19 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	1 4 7 8
26	12.8	8.3	11.4	7.5	83	"	1600	27 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	1 4 7 8
27	11.3	7.4	10.8	7.5	86	"	1800	29 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	1 4 7 8
28	11.7	9.9	11.7	8.6	92	"	1800	28 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	1 4 7 8
29	8.6	6.9	8.3	6.2	73	29 Apr. '60	600	5 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	1 4 7 8
30	8.3	5.7	7.7	5.1	75	"	"	"	1 4 7 8

Phrynosoma platyrhinos

31	9.0	6.9	9.8	7.7	72	14 May '60	600	5 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	(1)(4)(7)(8)	
32	5.1	3.6	5.3	3.0	68	21 May '60	2800	8 mi. S. of Barstow, San Bernardino Co., Calif. 13-3	(1)	
34	10.1	6.9	10.1	7.1	86	22 May '60	1400	24 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	(1)(4)(7)(8)	
35	10.2	7.1	9.8	7.4	85	"	"	18 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	(1)(4)(7)(8)	
36	12.3	8.3	12.0	7.8	90	"	1800	8 mi. S.E. of Old Dale, San Bernardino Co., Calif. 7-3	(1)(4)(7)(8)	
37	10.5	6.9	10.5	6.3	96	20 May '60	4000	15 mi. N. of Lucerne Valley, San Bernardino Co., Calif. 13-3	(4)(8)	Right test is removed + fixed in Bouin's Sol.
39	10.2	7.1	10.1	6.0	83	11 June '60	1400	25 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	(1)(7)(4)(8)	
40	10.8	7.5	10.5	6.8	85	"	"	"	(1)(4)(7)(8)	
41	10.8	7.8	11.4	7.5	88	"	"	"	(1)(4)(7)(8)	
42	9.8	6.9	10.4	6.8	83	16 July '60	"	24 mi E. of 29 Palms, San Bernardino Co., Calif. 7-3	(7)(1)(4)(8)	
43	8.4	6.2	8.6	6.5	80	"	"	27 mi E. of 29 Palms " 7-3	(7)(1)(4)(8)	
44	9.9	7.2	10.1	6.9	81	"	"	28 mi E. of 29 Palms " 7-3	(7)(1)(4)(8)	
45	8.9	6.5	8.9	6.0	82	"	"	30 mi E. of 29 Palms " 7-3	(7)(1)(4)(8)	
49	6.8	3.0	5.3	4.1	91	10 Aug. '60	2000	8 mi S.E. of Old Dale " 7-3	(1) slight (4) slight (8) (7)	

PHRYNOSOMA PLATYRHINOS

50	8.4	4.5	8.4	4.8	84	10 Aug. '60	2000	8 mi. SE. of Old Dale 7-3, San Bernardino, Calif.	1 4 8 7
51	9.6	6.0	9.3	5.7	78	11 Aug. '60	600	5 mi. N.W. of 1000 Palms 4-1	1 4 8 7
52	8.7	5.7	8.6	5.4	75	14 Apr. '61	-189	1 mi. E. of Mecca, Riverside Co., Calif. 42-1	1 4 8
55	7.8	5.6	7.4	5.3	68	19 June '61	600	3 mi. N.W. of 1000 Palms, Riverside Co., Calif. 4-1	1 4 7 8
56	7.1	4.8	7.4	4.8	68	"	"	"	1 4 7 8
58	8.1	6.0	7.2	5.6	73	30 July '61	~3000	Cady Mts., San Bernardino Co., Calif. 33-3	1 4 8
59	5.7	3.5	5.7	3.5	78	13 Sept '61	500	4 mi E of Mecca Riverside Co. Calif. 40-1	7 1 4 8
60	9.9	7.5	10.1	7.1	85	22 Apr. '62	2750	Lovejoy Buttes, Los Angeles Co, Calif. 6-2	1 4 8+ 16 B
61	10.7	7.8	10.5	8.0	82	"	2600	"	B 1 4 8+ 16
62	9.9	7.5	9.9	6.8	83	5 May '62	2700	8 mi S. of Barstow, San Bernardino Co., Calif. 13-3	1 4 8+ 17
64	9.6	6.5	9.3	6.2	84	"	"	"	1 4 8+ 16
65	10.4	6.8	8.7	6.6	85	6 May '62	1400	Dale Dry Lake, San Bernardino Co., Calif. 7-3	1 4 7 8+ 16 22
66	11.6	8.3	11.3	7.5	84	5 May '62	2700	8 mi. S. of Barstow, San Bernardino Co., Calif. 13-3	1 4 8+ 17
67	12.0	8.0	11.0	6.9	88	"	"	"	1 4 8+ 16

Species PHRYNOSOMA PLATYRHINOS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
68	4.2	2.3	4.7	2.7	76	6 May '62	1400	Dale Dry Lake, San Bernardino Co., Calif. 7-3	1 15
72	6.3	4.1	6.6	4.5	88	4 May '63	2800	8 mi. S. of Barstow, San Bernardino Co., Calif. 13-3	B 1 16
73	7.5	3.9	6.8	4.1	90	"	"	"	B 1 17
77 ~~75~~	5.7	3.5	5.1	3.0	68	11 June '63	1000	7 mi W. of Rice 16-3 San Bernardino Co., Calif.	B 16
76	9.3	5.7	9.6	5.1	83	11 June '63	1000	Rice 16-3 San Bernardino Co., Calif.	B 7 1 4 8 16
75 ~~77~~	3.8	2.4	3.6	2.1	63 ?	11 June '63	1000	3 mi S. of Rice 16-3 San Bernardino Co., Calif	B 2? 1 16
78	6.2	3.8	6.0	3.8	78	5 Sept. '63	300	1 mi. E. of Glamis, Imperial Co., Calif. 18-4	B 8 16 13
79	10.7	6.5	9.5	6.8	85	29 Mar. '64	?	Between Glamis and Palo Verde, Imperial Co., Calif. 5-4	B2 7 4 8 16
80	11.1	7.1	10.8	6.9	83	4 Apr. '64	2700	6 mi. N.E. of 29 Palms, San Bernardino Co., Calif. 7-3	B1 4 7 nearly 8 16
81	11.6	7.1	11.1	6.3	81	"	"	"	B1 4 7 8 16
82	11.4	7.5	10.2	6.5	83	"	"	"	B1 4 7 8 16
84	11.4	8.0	11.6	7.4	81	"	"	"	B1 4 7 8 16

Species MIRONGOMA PLATYRINOS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
85	10.8	8.3	11.7	6.9	84	4 Apr. '64	2700	6 mi. N.E. of 29 Palms, San Bernardino Co., Calif. 1-3	B1 4 7 8 16
87	9.8	6.9	9.6	7.5	88	6 May '67	2800	8 mi. S. of Barstow, San Bernardino Co., Calif.	Both testes removed. B1 4 7 8 16 22 melanin over testes.
88	8.4	5.7	9.8	6.8	88	"	"	"	Both testes removed. B1 4 16 melanin over testes.
89	12.3	7.8	12.0	7.7	82	24 Feb. '68	700	2 mi. S. of Palm Desert, Riverside Co., Calif.	4 8 16 1

Sauromalus obesus

Sauromalus obesus

Species Sauromalus obesus #17

ad = 170 mm

① ~~Left~~ testis removed & fixed in Bouin's sol.
② Immature
③ ~~Left testis removed & fixed: ½ in 10% formalin ½ in Bouin's solution~~

See front page

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	
1	13	10.9	12.5	11	198	1 Apr. 59		Calico Mts., Calico, San Bernardino Co., Calif. 56-3	③ ①
2	9.5	7.2	10.1	7.6	167	28 Mar. 59	3000	10 mi. E. of Las Vegas, Clark Co., Nevada 40-15	③ ①
4	8.7	4.7	7.5	3.8	157	16 May '59	2800	8 mi S. of Barstow, San Bernardino Co., Calif 13-3	③ ⑦ ①
6	10.2	7.5	10.2	7.5	196	"	"	"	③ ⑦ ①
7	13.1	10.1	16.2	11.0	170	"	2700	"	③ ⑦ ④ ⑧ ①
8	15.3	11.6	14.1	10.4	189	"	2700	"	③ ④ ⑦ ⑧ ①
9	16.1	11.7	17.1	11.3	181	"	"	"	③ ④ ⑦ ⑧ ①
13	13.0	11.2	11.9	11.2	193	12 Apr. '60	1500	40 mi. E. of 29 Palms, San Bernardino Co., Calif. 7-3	① ④ ⑦
16	14.9	11.4	16.2	11.7	196	14 May '60	2000	6 mi. S. of Palm Desert, Riverside Co., Calif. 5-1	① ④ ⑦ ⑧
17	15.0	12.3	16.5	14.0	173	21 May '60	2800	Giant Rock, San Bernardino Co., Calif. 49-3	① ④ ⑦ ⑧
19	14.7	11.6	15.0	11.9	195	22 May '60	2000	14 mi. S.E. of Old Dale, San Bernardino Co., Calif. 7-3	① ④ ⑦ ⑧
21	17.5	11.4	16.8	11.8	193	11 Jun 60	"	12 mi S.E. of Old Dale, San Bernardino Co., Calif. 7-3	⑦ ① ④ ⑧
22	15.5	11.6	15.4	11.7	205	"	"	"	⑦ ④ ⑧ Dead before dissection

Sauromalus obesus

23	14.3	11.6	14.5	13.2	212	11 June 60	2000	12 mi S.E. of Old Dale, San Bernardino Co., Calif. 7-3	7 1 4 8
24	17.8	10.3	15.3	12.0	197	"	"	13 mi S.E. of Old Dale, San Bernardino Co., Calif. 7-3	7 1 4 8
26	17.7	11.8	14.9	9.6	192	"	"	"	7 1 4 8
27	13.7	12.2	17.2	12.6	200	"	"	"	7 1 4 8
30	16.5	14.0	16.6	12.4	200	"	1900	14 mi S.E. of Old Dale, San Bernardino Co., Calif. 7-3	7 1 4 8
31	16.2	11.8	15.7	12.6	210	"	"	"	7 1 4 8
32	14.8	13.2	15.8	14.2	210	"	"	"	7 1 4 8
33	8.7	5.6	9.2	6.2	180	17 JULY, 60	2800	8 MI. S. OF BARSTOW, SAN BERNARDINO CO., CALIF. 13-3	1 7
34	11.4	6.8	8.3	5.3	194	"	"	"	1 7
35	7.5	5.0	7.2	5.0	176	"	"	"	1 7 9 Dissected 8/3/60
36	7.2	4.7	7.5	4.5	178	9 AUG. '60	1500	1 MI. W. OF RIVERSIDE — 1-3 SAN BERNARDINO CO LINE	1 7
37	7.8	4.1	7.1	4.1	178	10 AUG. '60	2500	14 MI. S.E. OF OLD DALE, 7-3 SAN BERNARDINO, CALIF.	1 7
38	9.8	6.5	8.3	7.4	206	6 May '61	2000	10 mi. S.E. of Old Dale, San Bernardino Co., Calif. 7-3	1 7++
39	11.4	8.7	12.0	9.3	179	5 June '61	1900	18 mi. E. of Yuma, Yuma Co., Ariz. 6 3 10	1 4 7 8

Species *Sauromalus obesus*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
40	10.5	7.2	11.4	7.8	174	5 June '61	1900	20 mi. E. of Yuma, Yuma Co., Ariz. 83-10	1 4 7 8
41	10.4	7.2	9.5	7.4	185	7 June '61	500	5 mi. S. of Picacho, Imperial Co., Calif. 53-4	1 slight 4 7
42	6.0	4.5	6.8	5.0	139	"	375	3 mi. S. of Picacho, Imperial Co., Calif. 53-4	1 slight 4 7 2?
45	7.5	4.5	7.5	4.7	202	20 Aug., '61	~2000	GOLD BROWN RD., SAN BERNARDINO CO., CALIF 7-3	1 7
46	7.1	4.4	7.8	4.7	198	"	~2000	"	1 slight 4 7
49	18.0	11.8	16.0	10.8	186	15 Apr. '62	—	Near Lucerne Valley, San Bernardino Co., Calif. 61-3	1 B 4 8- 7+ 15 no sperm seen in semen
50	17.3	12.4	17.2	11.4	197	"	—	"	1 B2 7+ 8+ 4 17
51	15.4	13.0	16.8	13.4	195	"	—	"	1 B3 4 7+ 8- no sperm seen in semen
52	15.6	12.0	18.5	13.1	190	5 May '62	2900	9 mi. S. of Barstow, San Bernardino Co., Calif. 13-3	B3 1 4 7 8+ 17 worms in dig. tract
53	17.2	12.2	19.6	12.3	191	"	"	"	B3 1 4 7 8+ 16 23
54	17.0	12.8	15.9	12.2	197	"	"	"	B3 1 4 7 8+ 17 worms in dig. tract
55	16.1	13.9	17.2	12.5	185	"	"	"	B2 1 4 7 8 16

Species SAUROMALUS OBESUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
56	19.6	15.2	21.0	13.9	202	5 May '62	2900	9 mi. S. of Barstow, San Bernardino Co., Calif. 13-3	B1 1 4 7 8 17
60	14.6	9.6	13.7	9.5	194	4 May '63	2800	8 mi. S. of Barstow, San Bernardino Co., Calif. 13-3	1 7 17
62	9.3	7.8	10.2	6.8	200	"	2000	2 mi. E. of Desert Oasis, San Bernardino Co., Calif. (Pisgah Lava Flow) 58-3	1 7 17
63	9.8	6.8	10.8	6.8	181	"	"	"	1 7 17
64	16.4	12.6	18.2	9.8	179	3 May '58	3000	8 mi. W. of Lucerne Valley, San Bernardino Co., Calif. 81-3	7 17 13

Sceloporus graciosus

Sceloporus graciosus

Sceloporus graciosus #04

ad = 55 mm

2	4.5	3	4	2.5		8/1/58	5475	Glacier Campground, Mt. Baldy, Los Angeles Co., Calif. 11-2	1 of pair caught. (with #1)
5	5	4	5.5	4		8/16/58	~6500	Barton Flats, San Bernardino Co., Calif. 8-3	
6	3	2.75	3	2		"	"	"	
9	7	6	5.75	4.75	62	8/26/58	5870	5 mi. No. of Idyllwild, Riverside Co., Cal 9-1	Vas deferens visible on the way to the hemipenis. Seminal vesicles distended (8)
15	4.5	3.75	4.25	3	58	"	"	"	
16	4.25	3.75	4	3.25	63	"	"	"	
[redacted]	7	5.75	7.25	6	58	9/10/58	8000'	4 mi. SE. of Jenks Lake, San Gorgonio Wild Area, San Bernardino Co., Calif. 8-3	
19	6	5	5.5	4.75	56	9/20/58	5870	5 mi. No. of Idyllwild, Riverside Co., Calif. 9-1	Left Testis removed & fixed in Bouin's Sol.
21	6.8	6.0	7.1	6.2		17 May 1959	6300	So. Fork Campground, Barton Flats, San Bernardino Co., Calif. 8-3	(1) (3) (4) (8)
22	7.1	5.7	6.9	6.2	60	"	"	"	(1) (3) (4) (8)
23	7.1	5.9	7.2	5.7	57	"	"	"	(3) (4) (8) (1)
26	6.2	5.6	6.0	5.9	60	"	"	"	(3) (4) (7) (8) (1)
27	7.5	6.3	7.1	6.0	60	"	7800	San Gorgonio wilderness area, San Bernardino Co., Calif. 8-7	(3) (4) (1)
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	Co., Calif. 11-2	[illegible]

Species Sceloporus graciosus

Tag No.	Left testis(mm) Length	Left testis(mm) Width	Right testis(mm) Length	Right testis(mm) Width	s-v length (mm)	Date collected	Altitude (ft)	Locality	Remarks
29	5.7	5.1	6.5	5.9	54	17 May 1959	7800	San Gorgonio Wilderness area, San Bernardino Co., Calif. 9-5	3 4 8 1
30	6.6	6.3	7.2	6.2	58	"	"	"	3 4 8 1
31	6.0	6.0	6.8	5.4	56	"	"	"	3 4 8 1
33	7.2	5.6	8.3	6.2	57	"	"	"	3 4 8 1
34	5.4	4.5	6.0	4.5	58	"	"	"	1 4 gut fused to body wall; body somewhat emaciated.
35	6.3	5.7	6.3	6.3	56	"	"	"	3 4 8 1
36	8.1	7.4	7.5	6.8	62	"	"	"	3 4 7 8 1
37	2.7	2.3	3.0	2.6	63	1 July '59	~8000	Santa Rosa Peak, Riverside Co., Calif 54-1	1 7
39	1.8	1.5	2.4	1.2	49	9 July '59	~5200'	Camp Emerson, 1 mi from Idyllwild, Riverside Co., Calif 9-1	1 2?
40	1.8	1.5	2.4	1.7	49	"	"	"	1 Testis spoiled.
42	4.2	2.6	3.3	2.7	59	19 July '59	"	"	7 3 1
43	6.0	5.0	6.0	5.0	57	11 Aug. '59	5700	Cow Creek, 5 mi. N. of Strawberry, Tuolumne Co., Calif. 17-6	7 3 1
44	7.0	5.0	7.0	5.5	59	"	"	"	3 7 4 8 1
46	3.0	1.5	3.0	1.5	42	"	6200	3 mi. E. of Dardanelles, Tuolumne Co., Calif.	2?

Species Sceloporus graciosus

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Remarks
50	7.2	5.6	8.0	5.6	56	14 Aug. '59	5700	Cow Creek, 5 mi. N. of Strawberry Tuolumne Co., Calif. 17-6	7 1
53	4.5	3.9	4.7	3.8	57	26 Aug '59	7550	3 mi W. of Big Pines, Los Angeles, Calif. 11-2	1 7 Probably one of a pair
55	5.4	5.0	5.9	5.1	60	"	7700	"	7 1
56	3.9	3.3	3.8	2.9	60	"	8000	½ mi S. of Blue Ridge Campground, Los Angeles Co., Calif. 11-2	1 7
57	3.9	3.0	3.9	2.7	54	"	"	"	1 7
58	3.5	3.0	3.8	2.7	57	"	"	"	1 7
60	5.3	4.4	6.2	4.5	61	"	8300	1 mi S. of Blue Ridge Campground, Los Angeles Co., Calif. 11-2	7 1
61	3.8	2.6	3.6	3.0	59	"	"	"	1 7
62	4.8	3.8	4.5	3.3	59	29 Aug '59	6300	South Fork Campground, Barton Flats, San Bernardino Co., Calif. 8-3	7 1
65	7.7	5.7	8.0	5.7	56	4 Sept. '59	7800	San Gorgonio Wilderness area, San Bernardino Co., Calif. 8-3	7 1
66	6.6	4.5	6.5	5.1	56	"	"	"	7 1
68	5.3	4.5	5.9	3.9	49	"	"	"	7 1
69	6.8	6.3	7.1	5.7	58	6 Sept. '59	6300	South Fork Campground, Barton Flats, San Bernardino Co., Calif. 8-3	7 1

Species *Sceloporus graciosus*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
70	6.9	4.4	6.6	4.7	56	6 Sept. '59	6300	South Fork campground, Barton Flats, San Bernardino Co., Calif. 8-3	(3) (7) (1)
72	6.2	5.3	6.2	4.8	55	"	"	"	(3) (7) (1)
74	6.2	6.0	6.2	4.7	58	"	"	"	(3) (7) (1)
75	5.9	4.5	5.8	4.2	56	"	"	"	(3) (7) (1)
77	5.7	4.1	6.0	4.5	56	"	"	"	(3) (7) (1)
78	7.7	6.0	7.8	6.2	62	14 Sept. '59	7325	Blue Ridge, 2 mi. S.W. of Big Pines, Los Angeles Co., Calif. 11-2	(3) (7) (1)
79	4.1	2.9	4.7	3.3	55	"	"	"	(1)
82	8.3	6.5	8.7	7.2	64	15 May '60	7000	Marion Mt. campground, Riverside Co., Calif. 9-1	(1) (4) (7) (8)
84	8.4	8.1	9.3	7.5	64	"	"	"	(4) (7) (8)
86	8.4	7.4	8.6	7.1	64	"	"	"	(1) (4) (8)
87	3.5	2.6	3.5	2.6.	58	16 July, 60	7325	BLUE RIDGE, LOS ANGELES CO., CALIF. 11-2	(7) (1)
88	5.1	3.8	4.5	3.2	61	"	"	"	(7) (1)
89	3.3	2.7	3.6	2.3	56	"	"	"	(7) (1)

Sceloporus graciosus.

90	5.6	5.3	5.4	3.9	61	16 July, '60	7325	Blue Ridge, Los Angeles Co. Calif. 11-2	7 1
91	6.8	5.7	6.0	4.2	57	"	"	"	7 1
102	2.7	1.8	2.3	1.8	51	"	"	"	1 7 9 Dissected 8/3/60
104	7.8	7.2	8.3	6.5	59	9 Apr. '61	6300	Junction Highway 190 + Jenks Lake Road, San Bernardino Co., Calif. 8-3	Bulge on left testis. 1
106	8.3	6.3	7.8	6.5	57	"	"	"	1 slight 4
107	7.8	6.6	7.8	6.3	57	"	6900	6.3 mi. E. of " 8-3	1 slight 7
108	7.7	6.6	7.8	6.3	53	"	"	"	13
109	8.1	7.1	8.6	7.5	57	"	"	"	1
112	7.5	6.2	6.6	5.4	60	"	5780	Camp Angeles, San Bernardino Co., Calif. 8-3	1
113	9.6	6.8	9.0	7.8	62	"	"	"	1 slight 7
114	8.1	7.2	8.6	7.1	58	"	"	"	1 7
115	7.8	7.1	8.0	6.5	59	"	"	"	1
116	6.8	5.6	7.7	5.7	57	"	5000	4 mi. S.W. of Camp Angeles, San Bernardino Co., Calif. 8-3	1 slight 7
118	8.3	6.0	7.5	6.2	58	23 Apr. '61	6300	Barton Flats, San Bernardino Co., Calif. 8-3	1 4 —

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
119	8.4	6.8	9.2	6.9	63	23 Apr. '61	5550	4 mi. S. of Camp Angeles, San Bernardino Co., Calif. 8-3	1 4 8
121	9.2	7.4	9.0	6.9	67	25 Apr. '61	6850	3 mi. N.W. of Grassy Hollow, Los Angeles Co., Calif. 41-2	1 4 7 8 left side
122	8.9	7.7	8.9	6.5	65	"	"	"	1 4 7 8
123	8.7	7.1	8.4	7.2	58	30 Apr. '61	5000	Highway 190 at Forsee Creek, (San Berdoo Mts.) San Bernardino Co., Calif. 34-3	1 4 7 8
124	7.7	6.3	9.2	7.2	63	"	"	"	1 4 7 8
125	8.7	7.1	8.3	6.6	58	"	"	"	1 4 7 8
126	9.2	8.3	8.7	7.5	62	"	"	"	1 4 8 rt. side
129	8.4	7.7	8.9	7.2	60	"	6000	Jenks Lake, San Bernardino Co., Calif. [illegible]	1 4 7 8
130	7.8	6.5	7.7	5.9	62	21 May '61	"	Fern Basin Campground, Riverside Co., Calif. 9-1	13 4 8
131	7.2	7.1	7.4	6.8	64	"	"	"	13 4 8
132	8.4	7.4	8.7	6.8	62	"	"	"	1 4 8
133	7.8	6.0	6.9	5.9	61	"	"	"	1 4 8

SCELOPORUS GRACIOSUS

134	9.0	6.8	9.8	7.1	65	21 May '61	6000	Fern Basin Campground, Riverside Co., Calif. 9-1	1 4 8
135	9.0	7.8	8.3	7.2	64	"	"	"	1 4 7 8
136	8.3	7.4	8.1	6.9	62	"	"	"	1 4 8
137	8.4	6.9	8.3	7.1	64	"	"	"	1 4 8
138	9.8	7.8	9.8	7.2	66	"	"	"	1 4 8
139	8.7	8.0	8.7	6.8	63	"	"	"	1 4 8
140	8.0	6.6	8.7	6.8	64	"	"	"	1 4 8
141	8.9	7.5	8.7	6.6	63	"	"	"	1 4 8
142	9.8	8.4	8.7	6.8	66	"	"	"	1 4 8
143	9.0	6.8	9.9	7.5	64	"	"	"	1 4 8
144	8.6	7.8	9.3	6.8	65	"	"	"	1 4 7 8
161	7.7	6.3	7.7	5.7	61	"	"	"	1 4 8
164	6.9	5.7	7.5	5.9	55	21 Apr. '62	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	1 B2 7 16 4 nearly 8
166	8.3	6.8	8.6	6.5	62	"	"	"	1 B2 7 16 4 nearly 8

SCELOPORUS GRACIOSUS

167	7.4	6.3	7.4	5.7	55	21 Apr. '62	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	1 B2 4 16 7 nearly 8
168	8.3	7.2	8.7	6.8	62	"	"	"	B2 1 7 16 4 8+
170	9.8	8.0	10.1	7.7	63	"	"	"	B3 1 7 16 4 [redacted] nearly 8
171	9.0	7.4	8.9	7.8	63	"	"	"	1 B2 4 16 nearly 8
173	7.2	5.6	6.9	5.9	53	"	"	"	B2 1 16 4 nearly 8
174	7.8	6.2	7.4	7.2	58	1 May '62	"	"	B3 1 4 7 8+ 16
175	8.9	6.8	8.3	7.1	65	"	"	"	B3 1 4 8+ 16
176	7.8	6.3	8.3	6.9	63	"	"	"	B3 1 4 8+ 16 terminal end of vas deferens almost clear in color, but some motile sperm present
177	6.5	6.3	6.8	6.0	60	"	"	"	B3 1 4 8+ 16
178	7.7	6.6	8.0	6.0	62	"	"	"	B3 1 4 7 8+ 16
180	9.0	7.2	8.9	6.9	66	"	"	"	B3 1 4 8 16
181	7.4	6.6	7.5	6.5	58	"	"	"	B3 1 4 7 8 16
183	8.7	6.8	8.4	6.5	61	"	"	"	B3 1 4 8 16
186	8.6	6.8	8.6	7.4	65	"	"	"	B3 1 4 7 8 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
187	8.6	6.8	9.3	6.8	60	1 May '62	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	B3 1 4 8 16
189	7.5	6.6	6.6	5.7	60	"	"	"	B3 1 4 7 8 16
194	7.7	6.3	7.5	6.2	63	19 May '62	6000	Fern Basin Campground, Riverside Co., Calif. 9-1	B3 1 4 8 16
195	7.8	6.8	8.1	6.6	64	"	"	"	B3 1 4 8 16 lump on left testis
196	8.3	6.5	7.8	7.2	66	"	"	"	B3 1 4 7 8 16
197	9.3	8.1	10.1	8.1	66	"	"	"	B3 1 4 7 8 16
199	8.7	7.7	9.5	6.6	68	"	6300	Marion Mt. campground, Riverside Co., Calif. 9-1	B3 1 4 8 16
200	8.7	7.7	9.0	6.8	61	"	"	"	B3 1 4 8 16
202	8.9	7.5	8.6	7.1	67	"	"	"	B3 1 4 8 16
207	8.3	7.2	9.0	7.1	65	20 May '62	5600	Near Black Mt. campground, Riverside Co., Calif. 9-1	B3 1 4 7 8 16
208	6.6	6.0	7.5	6.0	60	3 June '62	5700	Alandale Pines, Riverside Co., Calif. 9-1	13 B2 4 8 16
209	7.1	6.0	7.2	6.2	61	"	"	"	B3 1 4 8 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
213	8.1	6.8	8.1	7.1	65	3 June '62	5700	Alandale Pines, Riverside Co., Calif. 9-1	B2 1 4 8 16
216	8.4	6.9	8.1	5.7	67	"	6000	Dark Canyon Campground, Riverside Co., Calif. 9-1	B2 1 4 7 8 16
217	6.9	5.7	7.2	6.5	61	"	"	"	B2 1 4 8 16
219	6.9	5.4	7.5	5.7	60	"	6800	Azalea Trails Girl Scout Camp, Riverside Co., Calif. 9-1	B3 1 4 8 16
221	7.5	6.3	8.7	5.7	61	"	"	"	B2 1 4 8 16
222	6.9	6.6	6.9	6.0	59	"	"	"	B2 1 4 8 16
223	7.5	5.6	7.1	5.9	58	"	"	"	B2 1 4 8 16
224	6.6	5.9	7.2	6.0	57	"	"	"	B2 1 4 8 16
225	8.3	7.4	8.4	6.9	65	"	"	"	B2 1 4 8 16
228	7.4	6.9	8.1	6.9	68	"	"	"	B3 1 4 7 8 16
230	5.3	4.5	5.1	4.4	60	26 June '62	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	B2 1 4 [8+] 16
232	6.2	5.7	6.2	5.1	57	"	"	"	B2 1 4 8+ 16

Species Sceloporus graciosus.

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
233	5.1	4.4	5.3	4.4	59	26 June, '62	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	B2 1 4 8+ 16
235	5.3	5.0	5.4	5.3	58	"	"	"	B2 1 4 8+ 16
237	5.3	4.4	5.3	4.2	58	"	"	"	B2 7 8+ 1 4 16
238	2.3	1.8	2.3	1.5	44	"	"	"	B2 16 1
240	6.8	5.7	6.2	5.9	61	"	"	"	B3 1 4 8 16
241	5.7	4.8	5.7	4.8	61	"	"	"	B3 1 4 8+ 16
242	7.5	6.2	6.9	5.9	62	"	"	"	B2 1 4 8+ 16
243	6.2	5.7	5.4	5.4	56	"	"	"	B2 7 1 4 8+ 16
244	5.9	4.8	6.0	5.0	60	"	"	"	B3 7 1 16 4 8+
245	6.9	5.7	6.0	5.9	63	"	"	"	B2 7 1 4 8+ 16
247	6.5	5.7	7.2	5.6	62	"	"	"	B2 1 4 7 8+ 16
248	5.7	4.5	5.3	4.5	57	"	"	"	B2 1 4 8 16 7

Species *Sceloporus graciosus.*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
249	6.6	5.3	6.5	5.3	62	26 June'62	7000	Blue Ridge, Los Angeles Co., Calif. 11-2	B3 1 4 8+ 16
250	5.3	3.9	5.9	4.2	59	"	"	"	B3 1 4 7 8 16
252	3.3	2.4	3.3	2.1	58	25 July,'62	7386	"	B2 7 1 4 (8+) 16
255	3.0	2.7	3.5	2.6	56	"	7650	"	B2 7 1 16
259	3.8	3.3	3.8	3.0	64	"	7750	"	B2 7 1 4 8+ 16
260	4.2	3.3	4.1	3.5	61	"	7750	"	B2 7 1 16
263	3.9	3.0	4.4	2.7	57	"	"	"	B2 7 1 16
272	3.3	2.3	3.0	2.3	57	"	7900	"	B2 1 very slight 4 slight 8+ 16
273	4.4	3.5	4.1	3.0	61	"	"	"	B2 1 4 8+ 16 7
275	3.6	2.4	3.0	2.4	58	"	"	"	23 B2 7 1 4 (8+) 16
277	3.3	2.6	3.3	2.7	61	"	"	"	B2 7 1 slight 4 slight 8- 16
278	4.1	3.5	4.1	3.0	63	"	8350	"	B2 1 7 slight 4 slight 8+ 16

Species Sceloporus graciosus

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
282	2.1	1.5	2.3	1.5	52	25 July, '62	8350	BLUE RIDGE, LOS ANGELES Co., CALIF. 11-2	B2 1 16
284	4.2	3.3	3.8	3.0	63	"	8400	"	B2 7 1 slight 4 16 (slight 8+)
286	3.9	2.7	3.6	2.7	58	"	"	"	B2 7 1 16
287	3.8	2.4	4.5	2.6	65	"	"	"	23 B2 7 1 16 slight 4 (slight 8+)
289	4.2	3.8	4.2	3.5	62	"	8050	"	B2 7 1 16
290	3.3	2.1	3.2	2.1	61	"	8200	"	B2 7 1 slight 4 16 slight 8 on right only.
291	4.2	3.0	3.8	2.7	60	"	"	"	B2 7 16 1 slight 4 slight 8 on right only
292	3.8	2.6	3.3	2.6	59	"	8100	"	B2 7 1 16
293	5.0	4.1	5.3	4.5	62	18 Aug. '62	7200	Holcomb Valley, San Bernardino, Co., Calif.	B2 7 1 16
295	5.7	4.4	5.6	4.1	60	"	"	"	B2 7 1 16
296	4.8	4.2	4.5	3.8	61	"	"	"	B2 1 16 7
299	4.8	3.6	5.0	3.0	62	"	"	"	B2 1 7 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
300	6.3	4.7	6.5	4.2	59	18 Aug. '62	7200	Holcomb Valley, San Bernardino Co., Calif.	B2 1 7 16
301	5.7	5.0	5.7	4.4	60	"	"	"	B2 1 7 16
302	7.2	5.1	6.9	5.4	60	"	"	"	B3 1 7 16
305	5.6	4.8	6.0	4.7	62	18 Aug. '62	7200	Holcomb Valley, San Bernardino Co., Calif.	B2 7 1 16
306	5.1	3.5	5.0	4.1	61	"	"	"	B1 1 7 16
312	5.6	3.8	5.4	3.9	60	18 Aug. '62	7200	Holcomb Valley, San Bernardino Co., Calif.	B3 7 1 16
313	5.3	4.8	5.4	4.7	62	"	"	"	B2 7 1 16
314	5.1	4.4	5.1	3.9	63	"	"	"	B2 7 1 16
319	7.8	7.1	7.5	6.3	63	24 Apr. '63	6300	Pine Cove, Riverside Co., Calif.	B2 1 16
320	8.3	6.3	7.7	5.6	63	"	"	"	B2 1 7 16
321	8.3	6.3	8.9	6.6	60	"	5850	2 mi. N. of Pine Cove, Riverside Co., Calif.	B2 1 16
322	7.8	6.8	8.6	6.9	66	"	"	"	B2 1 7 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
323	7.2	5.6	7.4	5.6	56	24 Apr. '63	5850	2 mi. N. of Pine Cove, Riverside Co., Calif.	B2 1 7 16
324	6.8	6.0	7.5	6.3	62	"	"	"	B2 1 7 16
325	7.5	6.6	7.5	6.2	60	"	"	"	B2 1 7 16
326	7.7	6.8	7.5	6.2	62	"	"	"	B2 1 7 16
327	8.0	6.6	8.4	6.8	65	"	"	"	B2 1 7 16
328	8.3	6.8	7.5	6.3	62	"	"	"	B2 1 7 16
329	7.8	6.3	8.1	6.0	61	"	"	"	B2 1 7 16
330	6.8	5.3	7.2	5.9	55	"	"	"	B2 1 7 16
331	7.2	6.5	7.5	6.3	59	"	"	"	B2 1 7 16
332	7.5	6.5	7.5	6.0	62	"	"	"	B2 1 7 16
333	7.5	6.3	7.8	6.0	61	"	"	"	B2 1 7 16
334	8.7	6.8	9.0	6.8	63	1 May '63	7000	Hanna Flat, San Bernardino Co., Calif.	B2 1 7 16

Species *Sceloporus graciosus*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
336	8.3	6.5	9.5	7.4	62	12 May '63	7000	Hanna Flat, San Bernardino Co., Calif. 8-3	B2 1 4 7 8 16
337	7.7	6.8	8.3	7.4	59	"	"	"	B2 1 4 7 weak 8 16
338	8.1	6.0	7.8	6.6	63	"	"	"	B2 1 4 7 16
339	9.2	7.2	9.8	8.1	65	18 May '63	7300	Black Mtn. Riverside Co., Calif. 7-1	B2 7 1 4 16
345	9.0	7.1	8.6	7.5	68	"	"	"	B2 7 1 4 8 16
346	8.3	7.4	8.4	6.9	65	"	"	"	B2 7 1 4 8 16 8 within 2 mm of cloaca
347	8.1	8.1	9.5	7.5	65	"	"	"	B2 7 1 16
348	9.3	8.1	10.1	7.5	70	"	"	"	B2 7 1 4 weak 8 16
349	8.7	7.8	9.3	7.7	67	"	"	"	B3 7 4 8 16
350	8.9	6.6	9.5	7.5	68	20 May '63	"	Blue Ridge, Los Angeles ~~San Bernardino~~ Co., Calif. 11-2	B2 7 1 4 8 16
356	7.8	6.8	8.4	6.8	63	"	"	"	B2 7 1 4 8 16
358	9.0	7.1	9.0	7.5	62	"	"	"	B2 7 14 8 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
359	8.4	6.6	8.6	6.0	60	20 May '63	7300	Blue Ridge, Los Angeles Co., Calif. 11-2	1 B2 4 7 8 16
360	9.2	7.1	9.3	7.4	63	"	"	"	1 B2 4 7 8-2mm 16
361	8.3	6.5	8.0	6.9	68	"	"	"	B2 4 7 8 16
363	8.7	6.9	8.1	7.5	61	"	"	"	B2 4 7 8 16
366	8.7	5.3	8.9	6.5	63	"	"	"	B2 4 7 weak 8 16
367	7.5	6.8	8.1	6.6	60	"	"	"	B2 4 7 8 16
368	8.9	7.2	8.6	7.4	64	"	"	"	B2 4 7 8 16
369	6.8	5.6	6.9	5.4	63	5 Jun 63	6300	Barton Flats 8-3 San Bernardino Co., Calif	1 4 8 16 B2
370	8.0	5.4	7.4	6.0	62	"	"	"	B2 7 1 4 8 16
371	6.5	5.7	6.8	5.9	59	"	"	"	B2 1 4 7 8 16
372	6.9	5.7	6.8	6.0	60	"	"	"	B2 1 4 8 16
373	6.6	5.4	7.1	6.2	62	"	"	"	B2 1 8 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
376	7.2	5.7	7.5	5.7	60	5 Jun 63	6300	Barton Flats San Bernardino Co., Calif.	7 4 8 16 B1
377	4.5	4.2	4.5	3.5	48	"	"	"	B1 7 1 16
378	7.1	6.9	8.1	6.5	63	"	"	"	B2 4 8 16
379	7.1	5.4	6.5	6.0	59	"	"	"	B2 7 8 16
383	6.3	5.7	7.1	6.0	61	"	"	"	B2 4 7 8
384	6.5	5.7	7.5	6.0	59	"	"	"	B2 4 8 17
385	6.6	6.3	6.9	5.9	59	"	"	"	B2 4 8 16
386	7.2	6.0	7.5	5.9	60	"	"	"	B2 4 8 16
387	6.6	5.7	6.6	5.7	59	"	"	"	B2 4 8 16
393	5.3	5.3	5.7	4.8	53	"	"	"	B2 4 8 16
394	4.4	2.4	3.9	2.7	59	15 Jul 63	"	"	B2 7 1 4 8 16
397	4.8	4.1	4.4	3.8	66	"	"	"	B2 7 1 4 8 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	collected	(ft.)	Locality	Remarks
398	3.6	2.4	3.6	2.1	58	15 Jul 63	6300	Barton Flats San Bernardino Co. Calif.	B1 7 1 1 8 16
399	2.3	1.8	2.3	1.7	54	"	"	"	B2 7 2 16
401	2.7	2.1	3.0	1.8	55	"	"	"	B2 7 16
402	4.8	4.2	4.8	4.2	63	"	"	"	B2 7 1 4 8 16
403	2.9	2.1	2.9	1.8	52	"	"	"	B2 7 2? 16
405	5.0	4.1	4.5	3.6	60	"	"	"	B2 7 4 16 1
406	2.3	1.2	2.3	1.5	50	"	"	"	B2 7 2? 16
407	2.7	2.1	2.6	1.8	50	"	"	"	B2 2? 7 16
410	2.7	2.3	2.6	2.0	50	"	"	"	B2 7 2? 16
413	4.1	2.1	3.6	2.6	65	16 Jul 63	"	Pine Cove Riverside Co., Calif	B2 7 1 4 8 16
414	5.1	3.6	5.3	4.5	64	"	"	"	B2 1 4 8 16
415	4.5	2.9	5.1	3.5	67	"	"	"	B2 7 1 4 8 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
417	5.7	4.2	5.1	4.1	67	16 Jul 63	6300	Pine Cove Riverside Co., Calif. 9-1	B2 7 1 4 8 16
418	5.7	3.8	5.3	4.1	67	"	"	"	B2 7 1 4 8 16
419	3.8	2.9	3.6	2.7	62	"	"	"	B2 7 4 8 16
422	5.4	4.1	4.7	3.6	65	"	"	"	B3 1 4 8 16
428	4.8	3.8	5.3	3.8	63	"	"	"	B2 7 4 8 16
430	6.0	5.1	6.0	5.0	66	"	"	"	B2 7 4 8 16
431	5.3	4.7	6.2	4.5	65	"	"	"	B2 7 4 8 16
432	2.0	1.4	2.0	1.2	51	18 Jul 63	6700	Big Pine ~~San Bernardino Co.~~ Los Angeles Co. Calif. 11-2	B1 7 2 16
433	2.7	2.4	2.7	1.5	55	"	"	"	B1 7 16 1
437	3.0	2.6	3.0	2.3	57	"	"	"	B1 1 7 16
438	4.1	3.3	4.1	3.0	62	"	"	"	B2 7 4 8 16 1
441	1.8	1.4	2.1	1.2	45	"	7386	Blue Ridge ~~San Bernardino~~ Los Angeles Co. Calif. 11-2	B2 2 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
442	2.0	1.5	2.1	1.1	45	18 Jul 63	7386	Blue Ridge 11-2 Los Angeles ~~San Bernardino~~ Co., Calif.	B1 2 16
445	4.8	2.9	4.4	2.7	65	"	"	"	B2 7 1 4 8 16
449	5.1	3.8	4.5	3.5	63	"	"	"	B2 1 7 4 8 16
450	2.6	2.0	2.9	1.8	53	"	"	"	B2 2? 4 8 16
451	3.9	2.9	3.6	2.9	64	"	"	"	B2 7 4 8 16
452	2.6	1.8	2.6	1.5	53	"	"	"	B1 7 16 2
453	2.1	1.5	2.0	1.4	53	"	"	"	B2 7 2 16
455	4.2	3.9	5.0	3.9	64	"	"	"	B1 7 4 8 16
457	4.2	2.7	3.9	2.7	65	"	"	"	B1 7 4 8 16
461	4.1	2.9	3.9	3.0	59	"	"	"	B2 7 4 8 16
463	3.3	2.4	3.2	2.6	63	"	"	"	B2 7 16
465	5.7	3.8	5.9	4.5	67	11 Aug 63	6300	Pine Cove 11-1 Riverside Co., Calif	B2 7 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	collected	(ft.)	Locality	Remarks
466	4.4	3.3	4.1	3.0	66	11 Aug 63	6300	Pine Cove Riverside Co., Calif. 9-1	B2 7 16
468	2.1	1.5	2.6	1.4	55	"	"	"	B2 7 2? 16
470	4.2	3.0	4.4	3.5	62	"	"	"	B2 7 16
471	6.5	5.0	6.5	4.8	65	"	"	"	B2 7 16
473	6.8	4.5	6.3	5.1	67	"	"	"	B2 7 16
474	4.7	3.5	4.7	3.5	65	"	"	"	B2 7 16
475	4.8	3.8	6.0	3.5	66	"	"	"	B2 16 7
476	2.9	2.0	2.9	2.0	57	"	"	"	B2 16 7 2?
478	5.6	4.1	5.7	3.9	65	13 Aug 63	7386	Blue Ridge Los Angeles Co., Calif 11-2	B2 7 16
480	5.1	4.1	5.3	3.8	66	"	"	"	B2 7 16
482	3.3	2.3	3.3	2.3	56	"	"	"	B1 7 16
483	4.2	2.9	4.2	2.9	60	"	"	"	B2 7 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
484	3.0	2.0	3.0	2.0	62	13 Aug 63	7386	Blue Ridge Los Angeles Co., Calif. 11-2	B2 7 16 DOA
486	3.8	2.9	3.9	2.1	58	"	"	"	B2 16 7 DOA
488	4.8	2.7	4.8	3.0	61	"	"	"	B2 7 16 DOA
490	3.8	2.6	3.6	2.3	63	"	"	"	B2 7 16
491	4.2	3.0	4.1	2.9	60	"	"	"	B2 7 16
492	2.9	2.0	2.9	1.8	58	"	"	"	B2 7 16
495	3.3	2.7	3.2	2.4	62	"	"	"	B2 7 16
496	4.1	3.2	4.5	2.7	55	"	6300	Barton Flats 8-3 San Bernardino Co., Calif.	B2 7 16
497	3.5	3.0	3.2	2.7	56	"	"	"	B2 7 16
501	5.1	4.1	4.8	3.9	55	"	"	"	B2 7 16
503	6.5	4.8	6.8	4.1	62	"	"	"	B2 7 16
504	5.9	4.8	6.0	5.0	58	"	"	"	B2 7 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
505	2.6	2.0	2.9	2.0	55	13 Aug 63	6300	Barton Flats 8-3 San Bernardino Co., Calif.	B2 7 16 2?
506	6.0	5.1	6.0	4.2	61	"	"	"	B2 7 16
508	3.8	2.9	3.6	2.7	60	"	"	"	B2 16
509	4.4	3.0	3.8	2.7	55	"	"	"	B2 7 16
511	6.2	5.0	6.0	4.5	62	"	"	"	B2 7 16
512	6.8	4.8	6.2	5.1	64	"	"	"	B2 7 16
514	5.4	4.4	5.1	3.8	61	"	"	"	B2 7 16
518	4.5	3.3	4.4	3.2	65	17 Aug. '63	"	Pine Cove, Riverside Co., Calif. 9-1	B2 7 16
519	4.5	4.1	4.7	3.0	55	7 Sept. '63	7000	Snow Valley, San Bernardino Co., Calif. 60-3	B2 7 16
520	6.9	6.5	7.1	5.9	56	"	"	"	B2 7 16
521	8.1	6.2	7.5	5.3	61	"	"	"	B2 7 16
522	8.1	5.6	6.9	5.9	65	"	"	"	B2 7 16

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
523	8.1	6.8	8.6	6.5	63	7 Sept. '63	7000	Snow Valley, San Bernardino Co., Calif. 60-3	B2 7 16
524	5.4	4.5	5.4	4.2	58	"	"	"	B2 7 16
525	7.2	6.3	7.5	5.6	60	"	"	"	B2 7 16
528	8.0	6.0	8.3	6.2	61	"	"	"	B2 7 16
529	7.8	7.4	8.3	6.6	61	"	"	"	B2 7 16
530	7.8	6.9	8.3	6.0	66	"	"	"	B2 7 16
532	6.0	5.3	6.5	5.0	63	"	"	"	B2 7 16
536	4.7	4.4	4.5	3.3	57	10 sept. '63	7386	Blue Ridge, Los Angeles Co., Calif. 11-c	B2 7 16
537	7.4	5.7	7.5	6.0	58	"	"	"	B2 7 16
538	6.8	6.3	7.1	5.4	59	"	"	"	B2 7 16
539	5.9	5.3	5.7	4.7	55	"	"	"	B2 7 16

Sceloporus graciosus gracilis

Male #1

Camp McGill, Mt. Pinos, Kern Co. el. 7450'	SGG-1 UCLA 3513	Oct 9, 1948	54.5		5mm GD	Yellow Pine
Same as above	SGG-2 UCLA 3514	Oct 10, 1948	34.4	59.0	(Fixed)	6mm GD	Yellow Pine

Sceloporus magister

Sceloporus magister

Species Sceloporus magister

ad = 85 mm

Peg No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	See Front page for symbol meanings. Remarks
1	8.0	5.8	7.4	5.7	93	14 Apr 59	3560	5 mi W. of Desert Springs San Bernardino Co., Calif. (4 mi W. of L.A. Co. Line.) 61-3	3 1
3	4.1	2.6	4.2	2.7	84	24 Apr 59	4000	2 mi N.E. of Yucca Valley on Old Woman Springs Rd. San Bernardino Co., Calif. 7-3	1
4	2.3	3.8	2.3	3.8	78	9 May 59	3300	1 mi E. of Hesperia San Bernardino, Calif. 10-3	1 2
5	4.7	3.2	4.8	3.6	88	"	"	"	1 2
6	6.9	5.9	8.0	7.1	107	"	3250	7.5 mi W. of Lucerne Valley, San Bernardino Co., Calif. 81-3	1 3 4 8
11	7.4	5.1	7.8	6.0	95	9 June '59	3600	2 mi. N.E. of Yucca Valley, San Bernardino Co., Calif. 7-3	3 4 7 8 1
12	2.6	1.8	2.4	1.7	75	"	3800	3 mi. N.E. of Yucca Valley, San Bernardino Co., Calif. 7-3	1 2?
13	4.7	3.0	4.2	2.9	92	23 June '59	4200	1 mi W. of Phelan San Bernardino Co., Calif. 14-3	1 4 slight 8 slight Basement
16	2.9	1.8	2.7	1.8	75	"	3500	5 mi W. of Desert Springs San Bernardino Co., Cal. 61-3	2? 1
17	2.0	1.2	2.0	1.1	57	"	3450	"	2 1
19	5.6	3.5	4.8	3.6	105	3 May '58	3500	8 mi. W. of Lucerne Valley, San Bernardino Co., Calif. 81-3	Killed 6/26/59 9 7 1
20	4.4	3.0	4.4	3.2	105	"	3200	Hesperia, San Bernardino Co., Calif. 16-3	Killed 6/26/59 9 1
23	5.1	3.8	4.7	3.3	110	15 July '59	2700	Lovejoy Buttes, 6½ mi. N. of Llano, Los Angeles Co., Calif. 6-2	1

Species Sceloporus magister

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
24	6.9	4.5	6.8	4.2	104	15 July '59	2700	Lovejoy Buttes, 6½ mi. N. of Llano, Los Angeles Co., Calif. 6-2	3 1
25	4.8	3.3	4.2	3.2	105	"	3500	6 mi. N. of Phelan, San Bernardino Co., Calif. 14-3	1
26	5.4	3.5	5.0	3.5	94	"	3450	7 mi. N.W. of Phelan, San Bernardino Co., Calif. 14-3	3 7 1
27	6.0	3.2	5.9	3.3	102	"	2500	Saddleback Buttes, 13 mi. N. of Llano, Los Angeles Co., Calif. 6-2	3 1
28	2.0	1.2	2.0	0.9	55	"	3500	6 mi. N. of Phelan, San Bernardino Co., Calif. 14-3	1 2
29	3.2	1.5	2.9	2.1	75	"	2500	Saddleback Buttes, 13 mi. N. of Llano, Los Angeles Co., Calif. 6-2	1 2
30	1.8	1.2	2.1	1.1	56	"	2750	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	1 2
31	2.1	1.2	2.1	0.9	60	"	"	"	1 2
33	1.7 ~~3.6~~	1.3 ~~2.7~~	1.8 ~~3.8~~	1.1 ~~2.4~~	59 ~~[illegible]~~	"	"	"	1 2
34	2.7	2.0	2.6	1.7	75	"	2500	Saddleback Buttes, Los Angeles Co., Calif. 6-2	1 2
47	3.8	2.6	3.5	2.3	83	29 July '59	3950	2 mi. E. of Phelan, San Bernardino Co., Calif. 14-3	1
48	6.6	3.6	5.1	3.5	109	"	"	5 mi. E. of Phelan, San Bernardino Co., Calif. 14-3	7 3 1
49	5.1	3.2	4.5	3.2	104	"	4200	1 mi. W. of Phelan, San Bernardino Co., Calif. 14-3	7 3 1
51	2.1	1.5	2.0	1.2	62	"	3350	Hesperia, San Bernardino Co., Calif. 15-3	2 1

Sceloporus magister

Tag No	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft)	Locality	Remarks
~~52~~						~~29 July '59~~	~~3900~~	~~3 mi. N.W. of Phelan, San Bernardino Co., Calif.~~	~~2~~
55	2.0	1.0	2.0	1.0		25 Aug. '59	2600	2 mi. W. of Saddleback Butte, Los Angeles Co., Calif. 6-2	1 2
57	2.9	2.0	2.9	1.8	77	20 Aug '59	2700	3 mi N. of Morongo Valley, San Bernardino Co., Calif. 7-3	1
58	3.9	2.6	3.8	2.1	81	25 Aug '59	2750	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	1
59	2.7	1.1	2.9	1.8	67	26 Aug 59	4100	2 mi E. of Phelan, San Bernardino Co., Calif. 14-3	1
64	5.4	3.5	5.3	3.5	100	25 Aug '59	2550	Saddleback Butte, Los Angeles Co., Calif. 6-2	3 1
66	5.0	3.3.	4.2	2.6	99	"	"	"	3 1
68	5.3	3.8	4.5	3.5	86	"	2600	"	1-right testis removed
69	5.4	3.0	5.0	2.9	108	"	3000	"	3 1
74	5.1	3.6	4.7	3.2	93	"	2900	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	3 1
75	2.3	1.7	2.0	1.5	74	"	"	"	1 2?
77	6.0	3.5	4.5	3.8	96	14 Sept. '59	"	"	3 1
78	3.8	3.0	4.5	2.4	83	"	"	"	1
79	6.0	3.9	5.3	3.0	104	"	"	"	3 1

Species Sceloporus magister

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Remarks
80	6.2	4.4	5.6	4.5	100	14 Sept. '59	2800	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	(8) (1)
83	5.6	3.2	4.1	3.0	99	"	2650	Saddleback Buttes, Los Angeles Co., Calif. 6-2	(8) (1)
84	2.1	1.5	2.0	1.2	59	"	2600	Saddle back Buttes, Los Angeles Co., Calif. 6-2	(1) (2?) Bright yellow gonads.
85	2.7	1.8	2.3	1.8	64	"	2700	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	(1) (2?) Bright yellow gonads
86	2.6	1.7	2.6	1.8	73	15 Sept. '59	4100	Phelan, San Bernardino Co., Calif. 14-3	(1) (2?) yellowish gonads.
87	9.0	6.6	8.9	6.5	97	"	3750	3 mi. S. of Llano, Los Angeles Co., Calif. 6-2	(8) (7) (1)
88	7.7	5.9	7.2	6.2	95	11 Oct. '59	2900	1 mi. N. of Llano, Los Angeles Co., Calif. 6-2	(1) (7)
92	6.5	5.1	6.8	5.1	94	"	2700	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	(1)
94	8.1	5.9	8.1	6.3	101	"	2500	Saddleback Butte, Los Angeles Co., Calif. 6-2	(1)
96	8.1	6.5	7.7	6.5	102	"	2700	"	(1)
97	7.8	5.7	7.7	6.0	90	"	"	"	(1) (7)
99	7.7	5.1	6.9	4.7	98	"	"	"	(1)
100	7.8	5.7	7.8	5.4	103	"	2800	"	(1)

Species Sceloporus magister

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
102	9.5	7.8	9.3	7.7	109	10 Mar. '60	1100	3 mi. N.W. of Palm Springs, Riverside Co., Calif. 4-1	1 7
104	11.0	8.7	9.8	8.1	111	18 Mar. '60	3100	5 mi. E. of Mitchell's Caverns, San Bernardino Co., Calif. 21-3	1 7
105	8.7	6.8	8.1	6.3	89	19 Mar. '60	3600	Crystal Springs, Kingston Range, San Bernardino Co., Calif. 36-3	1 7
106	10.2	8.1	10.4	7.2	105	"	4950	3 mi. E. of Crystal Springs, Kingston Range, San Bernardino Co., Calif. 36-3	1 7
107	12.0	8.3	10.7	7.5	100	2 Apr. 60	4150	2 mi. N.W. of Phelan, San Bernardino Co., Calif. 14-3	1 4 slight 7
109	9.6	6.9	8.7	6.5	85	"	2700	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	1 7
110	11.4	9.0	10.5	8.1	105	"	"	"	1 4 7
112	9.5	6.8	8.9	5.6	102	20 May '60	3200	Hesperia, San Bernardino Co., Calif. 10-3	1 4 8
113	7.8	5.3	6.8	5.6	92	"	"	"	1 4 7 8
115	8.3	6.8	7.8	6.8	106	"	"	"	1 4 7 8
118	10.8	8.1	10.5	7.5	114	21 May '60	4000	2 mi. N. of Yucca Valley, San Bernardino Co., Calif. 7-3	1 4 7 8
120	3.8	2.3	2.5	2.6	88	16 July, '60	3200	HESPERIA, SAN BERNARDINO, CALIF. 10-3	1 7
121	5.3	3.8	5.1	3.6	111	"	"	"	Dissected 8/3/60 1 4 slight 7 8? 9

Sceloporus magister

122	9.5	7.7	10.2	8.0	114	7 May '61	3700	2 mi. S.E. of Stoddard Well, San Bernardino Co., Calif. 13-3	1 4 7 8
123	10.5	8.1	10.4	7.5	119	"	"	"	1 4 7 8
125	5.0	3.5	5.5	3.0	110	22 Aug. '61	300	10 mi. E. of Brawley, Imperial Co., Calif. 3-4	1 B3
126	5.0	3.3	4.5	3.3	100	30 Sept. '61	1400	Dale Dry Lake, San Bernardino Co., Calif. 7-3	1 B3
127	9.8	7.5	9.6	7.5	108	22 Apr. '62	2450	Saddle back Buttes, Los Angeles Co., Calif. 6-2	1 B3 4 16 8x
128	9.8	8.1	9.0	7.5	101	"	2500	"	1 B3 4 8+ 16
129	9.8	8.3	9.9	6.9	99	"	2700	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	1 B3 4 8+ 16
130	9.8	7.8	9.5	7.5	110	"	2800	"	1 B3 4 8+ 16
131	11.0	8.6	10.4	8.1	104	"	2750	"	1 B3 4 8+ 16
132	10.2	8.7	11.3	9.3	110	"	"	"	1 B3 4 8+ 16
133	8.9	8.0	10.1	7.5	95	"	"	"	1 B3 4 8+ 16
134	9.3	7.8	9.9	6.8	90	"	"	"	1 B2 4 8+ 16
135	9.8	7.4	10.8	7.8	105	"	"	"	1 B2 4 8+ 16
136	10.5	9.0	10.4	8.1	110	"	2600	"	1 B3 4 8+ 16

Species SCELOPORUS MAGISTER

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
~~137~~					~~97~~	~~22 Apr. '62~~	~~2550~~	~~Saddleback Buttes, Los Angeles Co., Calif.~~	~~① B~~
138	10.8	9.5	10.5	8.3	118	22 Apr. '62	2600	Saddle back Buttes, Los Angeles Co., Calif. 6-2	① B3 ④ 8+ 16
139	10.2	8.3	9.9	7.8	109	"	"	"	① B3 ④ 8+ 16
141	11.9	8.7	11.6	8.7	110	"	"	Lovejoy Buttes, Los Angeles Co., Calif. 6-2	① B3 ④ 8+ 16
143	10.1	8.0	10.2	8.1	106	"	"	"	① B3 ④ 8+ 16
144	8.0	7.2	8.7	7.2	94	"	"	"	① B3 ④ 8+ 16
145	10.5	7.5	11.3	7.8	113	"	"	"	① B3 ④ 8+ 16
147	9.8	7.8	9.8	7.7	106	"	2750	"	① B3 ④ 8+ 16
148	12.0	9.3	11.4	8.9	110	"	"	"	① B3 ④ 8+ 16
150	10.5	8.1	9.9	7.5	115	4 May '62	3190	Hesperia, San Bernardino Co., Calif. 10-3	① B3 ④ 8+ 16
151	10.8	9.0	10.4	8.3	117	"	"	"	① B3 ④ 8+ 16
152	11.7	8.6	10.5	8.0	104	"	"	"	① B3 ④ 8 16

Species SCELOPORUS MAGISTER

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
153	8.4	7.1	8.3	7.5	100	4 May '62	3190	Hesperia, San Bernardino Co., Calif. 10-3	1 B3 4 8 20
154	9.5	6.3	9.9	7.5	109	26 June '62	3200	"	7 4 8 16 13 23
155	9.0	7.1	8.9	7.1	104	"	"	"	B2 1 4 16 8+
156	7.2	5.3	7.2	5.7	95	"	"	"	B2 7 1 4 8+ 16
158	7.7	6.5	7.5	5.9	108	"	"	"	B3 7 1 4 8+ 16
160	7.5	5.0	7.1	5.3	109	"	"	"	B2 7 17 1 4 (8+)
162	5.4	3.9	5.1	4.1	105	"	"	"	B3 7 17 1 very - slight 4
163	4.2	2.3	3.8	2.1	87	"	"	"	B2 23 7 1 16
168	7.7	5.9	7.5	6.0	105	"	"	"	B3 7 1 4 [illegible] 16 (8+)
169	6.6	4.1	6.5	4.8	99	"	"	"	B2 7 23 1 4 8 16
172	9.0	6.0	8.9	6.0	106	27 June '62	2650	SADDLEBACK BUTTES, LOS ANGELES Co., CALIF.	B3 7 16 1 4 8+
173	8.7	6.8	7.5	6.3	85	"	"	"	B1 23 7 1 4 [illegible] 16 (8+)

Species Sceloporus magister.

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
179	7.5	4.8	7.4	5.7	98	27 June '62	2650	Saddleback Buttes, Los Angeles Co., Calif.	B3 7 1 4 (8+) 17
181	8.0	5.7	7.2	6.2	102	"	"	Lovejoy Buttes, " "	B3 7 1 4 [8+] 16
182	8.1	6.8	8.0	6.3	97	"	"	"	B3 7 1 4 [8+] 16
186	5.0	3.3	4.2	3.3	104	25 July, '62	3200	Hesperia, San Bernardino Co., Calif.	1 7 slight 4 16 (very slight 8+)
187	6.0	3.5	5.0	3.9	110	"	"	"	B3 1 7 slight 4 16 23
188	6.0	3.3	5.6	3.6	113	"	"	"	B2 1 7 slight 4 16
189	4.5	2.9	4.4	3.5	109	"	"	"	B3 7 23 slight 4 1 16 (slight 8+)
191	5.3	3.8	5.1	4.2	105	"	"	"	B3 1 slight 4 7 17
192	6.0	3.5	5.0	3.3	102	"	"	"	B3 7 1 slight 4 16 very slight 8-
193	5.4	3.0	4.5	2.9	109	"	"	"	23 B3 1 7 slight 4 (very slight 8+)
196	5.1	3.2	4.1	2.1	92	18 Aug. '62	3200	Hesperia, San Bernardino Co., Calif.	B3 7 1 16
197	6.5	4.5	5.3	3.2	114	"	"	"	B3 7 1 16

Species SCELOPORUS MAGISTER

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
202	8.0	5.1	7.5	5.4	117	21 Aug. '62	2600	Lovejoy Buttes, Los Angeles Co., Calif. 4-2	B3 1 7 8- 16
203	6.5	4.7	6.0	4.4	106	23 Sept. '62	3200	Hesperia, San Bernardino Co., Calif. 10-3	B2 1 7 16 23
204	1.8	1.1	1.8	1.1	67	5 Sept. '63	500	12 mi. S. of Palo Verde, Imperial Co., Calif. 27-4	B 2 16
205	10.8	9.5	10.8	8.7	108	1 May '64	3200	Hesperia, San Bernardino Co., Calif. 10-3	B3 4 8 16
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	HESPERIA, SAN BERNARDINO [illegible] 10-3	B1 [illegible]
209	5.7	4.4	5.1	3.8	100	10 SEP '64	3200	"	23 B2 7 16
211	7.7	5.6	7.4	5.9	101	"	"	"	23 B2 7 16
213	12.0	9.0	8.9	7.5	137	1 May '65	-200	Near north end of Salton Sea, Riverside Co., Calif.	B3 1 4 8 17
214	9.2	7.7	9.3	7.5	110	22 Mar. '67	4000	Near Phelan, San Berdoo. Co., Calif.	B2 1 7 16
215	8.7	7.5	9.0	7.2	109	"	4000	"	B2 1 7 17
216	10.2	7.5	9.9	7.5	106	22 Apr. '67	2700	Lovejoy Buttes, Los Angeles Co., Calif.	B2 17 Both testes removed [illegible] testes
217	12.8	9.5	12.2	8.4	112	17 May '68	4000	1 mi. W. of Phelan, San Bernardino Co., Calif.	B3 4 8 13 17

Sceloporus occidentalis

Sceloporus occidentalis

Species Sceloporus occidentalis

ad = 65 mm

Lg. No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	See Front page Remarks
4	4	3	5	3	80	8/1/58	4700	Mt. Baldy, Los Angeles Co., Calif. 11-2	(8?)
5	4	3	4	3.5	70	8/16/58	~6500	Barton Flats, San Bernardino Co., Calif. 8-5	Large adipose bodies present. (8?)
11	4	2.5	3.8	2.5	77	8/22/58	~1200'	Canyon Crest Drive 1-1 2 mi. So. UCR campus	
12	4	2.5	3.8	2.5	74	"	"	"	
13	4.5	2.5	4	2.5	76	9/12/58	"	"	Heavily infested with a fluke-like parasite in body cavity, external to organs.
14	5.75	4	4.75	4	64	9/20/58	5870	5 mi. No. of Idyllwild Riverside Co. Calif. 7-1	Left testis removed & preserved in Bouin's sol.
15	6	5	5.5	5	74	9/18/58	3700	4 mi. So. of Hesperia 10-3 San Bernardino Co., Calif.	"
20	5.25	3.5	5.0	4.25	86	"	"	"	
21	5.5	4	5.25	4	69	"	"	"	
22	6.5	6.25	7	5.25	77	"	"	1 mi. So. of Hesperia, 10-3 San Bernardino Co, Calif.	
23	4.75	4	6	4.75	71	"	"	Hesperia, San Bernardino Co., Calif. 10-3	
24	7.5	6.25	6.5	6.25	82	10/10/58	3000	Mill Creek Rd. — mi. N.E. of Summit Trum Rd. Land, San Bernardino Co. Calif. 7-3	Left testis removed and fixed in Bouin's Sol.
25	7.5	5.25	7.5	4.75	80	"	"	"	

Page 21

Species S. occidentalis

Tag No.	Left testis(mm) Length	Left testis(mm) Width	Right testis(mm) Length	Right testis(mm) Width	Body length (mm)	Date collected	Altitude (ft)	Locality	See Front page Remarks
26	7.5	6	7.25	6	67 ~~75~~	10/10/58	6260	South Fork Campground, 12 mi N.E. of Camp Angelus, San Bernardino Co. 8-3	Left testis removed and preserved in Bouin's Solution
27	8	6.75	9	6	71	"	"	"	
30	8	7.75	10	6.75	81	10/18/58	3675	5 mi E. of Phelan San Bernardino Co., Calif. 14-3	Left testis removed and fixed in Bouin's Solution.
28	7.5	7.0	8	6.5	78	10/10/58	6260	South Fork campground, 12 mi. N.E. of Camp Angelus, San Bernardino Co., Calif. 8-3	Hit in head with rock.
34	8.5	7.5	9	6.5	73	3 May 59	1200	2 mi So. of UCR, Canyon Crest Dr., Riverside Co., Calif. 1-1	Left testis removed and fixed in Bouin's Sol.
35	8.3	7	8	7	77	"	"	"	"
36	8	7	7.8	6.25	75	"	"	"	" (8)
37	5	5	5.5	4	55	"	"	"	(2) " (Immat.?)
38	4.25	3.25	4.0	3.25	56	"	"	"	(2) " "
46	7.5	7.0	7.5	7.0	79	3/31/59	"	"	" Highly parasitized. (8) semenif. tubes. highly convolut.
47	8.5	7.0	7.0	7.0	78	4/1/59	1100	UCR campus, Riverside Co., Calif. 1-1	" (no parasites) (8)
48	8.2	7.5	8.0	7.7	79	11 Apr 59	1200	"	(8) (1)
49	8.5	7.5	7.5	7.5	81	14 Apr 59	4100	2 mi N.W. of Phelan San Bernardino Co., Cal. 14-3	(1) (8)

Species Sceloporus occidentalis

Tag No.	Left testicle Length	Left testicle Width	Right testicle Length	Right testicle Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	See Front page Records
50	9.3	7.7	9.5	7.6	72	14 Apr '59	4100	2 mi N.W. of Phelan, San Bernardino Co., Calif. 14-3	3 4 1
51	8.2	8.2	8.7	7.0	74	"	"	"	3 4 1
52	8.6	7.6	8.8	7.9	73	"	"	"	3 4 1
53	9.1	7.2	8.9	7.6	77	"	"	1 mi W. of Phelan, San Bernardino Co., Calif. 14-3	3 4 1
56	7.6	7.1	7.4	6.6	76	24 Apr 59	3990	1 mi E. of Yucca Valley on Old Woman Spring Rd. San Bernardino Co., Calif. 7-3	3 4 8 1
57	9.0	6.6	8.0	7.0	84	3 May 59	1100	UCR. Campus. Riverside Co., Calif. 1-1	3 4 8 1
~~58~~					~~58~~	~~8 May 59~~	~~4025~~	~~9 mi E. of Phelan, San Bernardino Co., Calif.~~	
~~59~~					~~53~~	~~" " "~~	~~4000~~	~~8 mi E of Phelan, San Bernardino Co., Calif.~~	
60	7.6	5.7	7.9	6.0	70	8 May 59	4400	1 mi W. of Phelan, San Bernardino Co. Calif. 14-3	3 4 8 1
61	7.2	6.9	7.8	7.1	73	"	"	"	3 4 8 1
62	7.4	6.8	7.4	6.9	72	"	"	"	3 4 8 1
63	8.4	8.1	8.9	7.5	71	"	4000	8 mi E of Phelan, San Bernardino Co., Cal. 14-3	3 4 8 7 1
64	2.1	1.7	2.1	1.8	50	"	"	"	1 2

Species Sceloporus occidentalis

No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	Snout-vent length (mm)	Date collected	Altitude (ft)	Locality	Remarks
65	3.5	2.5	3.0	2.7	55	8 May 59	4000	8 mi E. of Phelan, San Bernardino, Co., Calif. 14-3	1 2
66	2.7	2.0	2.5	2.0	56	"	"	"	1 2
67	9.2	8.1	9.0	8.7	80	"	4025	9 mi E. of Phelan, San Bernardino Co., Cal. 14-3	3 4 8 1
68	8.3	7.9	8.0	7.5	72	"	3990	12 mi SE. of Phelan, San Bernardino Co., Calif. 14-3	4 8 3 1
69	10.0	8.3	9.5	7.8	77	9 May '59	3300	2 mi No. of Cedar Springs San Bernardino Co., Cal. 5-3	3 4 8 1
70	6.6	6.5	6.7	6.5	64	"	"	"	3 4 8 1
71	7.2	6.2	7.2	7.2	63	"	"	"	3 4 8 1
72	9.2	8.0	9.2	8.7	79	"	"	"	3 4 7 8 1
73	7.5	6.9	8.1	7.1	78	"	"	"	3 4 7 8 1
74	9.0	8.1	9.2	8.4	79	"	3140	6 mi S.E. of Hesperia San Bernardino Co., Calif. 10-3	3 4 7 8 1
75	2.9	2.7	3.3	2.6	58	"	"	"	1 2
83	6.9	6.2	7.1	6.3	74	17 May '59	6300	South Fork Campground, Barton Flats, San Bernardino Co., Calif. 8-3	3 4 8 1
84	7.5	6.5	8.6	7.2	76	"	"	"	3 4 8 1

Species Sceloporus occidentalis

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
85	6.9	6.2	7.4	6.5	77	17 May '59	6300	South Fork campground, Barton Flats, San Bernardino Co., Calif. 8-3	(4) (8) (1)
88	8.0	7.2	8.0	6.6	80	29 May '59	1500	12 mi. S.E. of Riverside, Riverside Co., Calif. (On Pigeon Pass Road) 1-1	(4) (7) (8) (1)
89	5.0	4.1	5.0	4.1	73	"	3000	4 mi. E. of Riverside, Riverside Co., Calif. (Top of Box Springs Mts.) 1-1	(1) (4) (7) (8)
90	6.6	4.8	7.1	5.4	82	"	1200	~~12 mi. S.E. of~~ Riverside, Riverside UCR campus, Co., Calif. ~~(On Pigeon Pass Road)~~ 1-1	caught outside greenhouse #16 (4) (7) (8) (1)
91	7.5	5.4	7.2	6.3	76	"	"	12 mi. S.E. of Riverside, Riverside Co., Calif. (on Pigeon Pass Road) 1-1	(4) (7) (8) (1)
92	6.5	5.0	7.0	6.5	69	"	"	"	(1) (4) (7) (8)
93	2.9	2.1	2.9	2.0	62	13 June 59	"	"	(1) (2?) (7)
94	5.1	4.8	5.4	4.7	65	"	"	"	(4) (8) (1)
101	4.8 ~~3.3~~	3.5	4.4	3.3	77	23 June '59	4000	2 mi E. of Phelan San Bernardino Co., Cal. 14-3	(7) (1) (8) (4)
102	2.9	2.4	3.2	2.0	64	"	"	1 mi E of Phelan San Bdo. Co., Cal. 14-3	(2?) (7) (1)
103	4.5	3.3	4.7	3.8	76	"	"	"	(7) (1)
104	3.9	2.4	3.5	2.4	73	"	"	Desert Springs San Bernardino Co., Calif. 61-3	(7) (1)
105	3.8	2.4	Lost - Same size as other	Approx	72	"	"	"	(1)

Species *Sceloporus occidentalis*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
106	4.2	3.9	3.9	3.3	79	23 June 59	4300	3 mi W. of Phelan 14-3 San Bernardino Co., Calif	7 1
107	3.8	2.9	3.6	3.0	74	"	4300	"	7 1
108	3.6	3.3	3.6	3.2	76	"	"	"	7 1
109	4.4	3.0	3.9	3.0	77	"	4400	1 mi W. of Phelan 14-3 San Bernardino Co., Calif	7
110	3.5	3.0	3.5	2.7	70	"	"	"	1
111	2.7	1.7	2.7	2.0	63	"	"	"	2? 7 1
112	3.8	3.5	3.8	3.2	74	"	4300	"	7 1
113	2.6	1.5	2.3	1.2	61	"	4000	5 mi S.E. of Phelan 14-3 San Bernardino Co., Calif.	2? 7 1
114	3.9	3.6	3.9	3.3	77	"	3800	6 mi S.E. of Phelan 14-3 San Bernardino Co., Calif	7 1
115	1.8	1.2	2.4	1.5	53	"	4300	3 mi W. of Phelan San Bernardino Co., Calif 14-3	2 1
116	2.6	1.8	2.4	1.7	59	"	"	"	2 1
117					63	24 Jun 59	1850	3 mi N. of Sunnymead (Pigeon Pass Rd) Riverside Co., Calif 1-1	Dead - Spoiled Thrown away
118	6.0	5.6	6.0	5.3	68	"	"	"	7 1

Species Sceloporus occidentalis

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
119	2.9	1.8	3.0	2.0	65	24 Jun 59	1850	3 mi N. of Sunnymead (Pigeon Pass Rd) Riverside Co., Calif. 1-1	7 1
120	5.1	4.2	4.5	3.6	72	"	"	"	7 1 4 slight
127	4.2	2.9	3.9	3.2	70	9 July '59	1800	"	3 8 (some) 7 1
128	Not measured due to absent-mindedness		5.1	3.8	78	"	"	"	7 3 1 4 slight 8 slight
129	3.3	2.6	2.7	2.4	73	"	"	"	1 7
130	3.3	2.4	3.3	2.3	72	"	"	"	1 7 Testis spoiled.
131	3.0	2.4	2.9	2.1	72	"	"	"	1 7
132	3.9	3.2	3.8	3.3	74	"	2000	4 mi N.W. of Sunnymead, Riverside Co., Calif. 1-1	3 1
133	4.1	2.9	3.8	2.3	66	"	2200	"	3 1
134	3.6	2.4	3.2	2.3	68	"	"	"	1
135	4.5	3.2	3.8	3.0	79	"	"	"	3 1 4 (slight) 8 (slight)
139	3.5	2.6	3.0	2.6	70	16 July '59	1850	"	7 1
140	3.5	2.4	3.3	2.7	63	"	"	"	1 2?

Species Sceloporus occidentalis

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Exhibits
141	3.0	2.3	3.5	2.3	60	8 July 59	~5200	Camp Emerson, 1 mi from Idyllwild, Riverside Co., Calif. 9-1	1 2
142	2.6	1.5	2.4	1.7	64	"	"	"	1 2?
143	5.0	3.6	3.5	3.0	79	"	"	"	7 ~~3~~ 1
144	4.4	4.4	4.4	3.6	80	"	"	"	~~3~~ 7 1
145	2.0	1.5	2.1	1.5	55	"	"	"	2 1
146	2.3	1.7	2.3	1.7	56	"	"	"	2 1
147	2.9	2.1	2.7	2.1	58	"	"	"	2 1
150	2.9	1.8	2.4	1.8	59	"	"	"	2 1
154	2.4	1.4	2.4	1.5	62	17 July '59	"	"	2? 1
156	2.9	2.0	2.9	2.1	62	18 July '59	"	"	2? 7 1
157	2.3	1.5	2.4	1.7	58	"	"	"	2? 7 1
160	2.5	1.8	2.2	1.5	62	19 July '59	"	"	2? 1
162	2.9	2.3	2.8	2.1	64	29 July '59	3950	1 mi. E. of Phelan, San Bernardino Co., Calif. 14-3	7 1
164	2.2	1.5	2.4	1.5	60	"	"	"	1 2

Species *Sceloporus occidentalis*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
166	2.7	2.2	2.8	1.9	68	29 July '59	3950	1 mi. E. of Phelan, San Bernardino Co., Calif. 14-3	1
168	4.2	3.2	4.1	3.2	74	"	"	2 mi. E. of Phelan, San Bernardino Co., Calif. 14-3	1
169	4.0	3.0	3.7	3.4	77	"	"	"	7 1
170	2.9	2.4	3.2	2.1	67	"	"	"	1
174	4.1	3.6	4.2	3.3	75	"	"	3 mi E. of Phelan, San Bernardino Co., Calif. 14-3	1
175	2.9	2.3	2.9	2.0	66	"	"	"	1 7
176	3.2	2.2	2.9	2.4	72	"	"	"	1 7
181	3.5	3.2	3.5	3.2	80	"	4150	2 mi. N.W. of Phelan, San Bernardino Co., Calif. 14-3	1 also preserved part of epididymis in Bouin's solution.
183	3.1	1.8	2.7	1.7	64	"	5200	Camp Emerson, 1 mi from Idyllwild, Riverside Co., Calif. 9-1	1 7
184	2.7	2.1	2.7	2.2	52	"	"	"	1 2? 7
185	2.9	2.4	2.9	2.3	68	"	"	"	1 7
186	3.3	2.3	2.9	2.0	64	"	"	"	1 7
187	5.2	3.8	4.6	3.4	85	"	"	"	7 1

Species Sceloporus occidentalis

Tag No.	Left testis(mm) Length	Left testis(mm) Width	Right testis(mm) Length	Right testis(mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Remarks
191	3.5	2.4	3.6	2.6	68	5 Aug '59	1800	1 mi N. of Sunnymead, Riverside Co., Calif. 1-1	(1)
193	5.0	3.5	4.9	2.9	78	12 Aug '59	1200	2 mi S. of UCR Campus, Riverside Co., Calif. 1-1	(3) (1)
196	4.9	4.1	4.5	3.6	78	6 Aug '59	5200	Camp Emerson, Riverside Co., Calif 9-1	(2) (3) (1)
197	3.2	2.2	3.0	2.7	68	"	"	"	(1)
198	6.0	3.4	4.7	3.5	77	"	"	"	(2) (3) (1)
199	2.9	2.4	3.2	2.3	65	"	"	"	(2) (1)
200	3.0	2.2	Lost.		71	"	"	"	(2) (1) Rt. testis lost in dissection
201	5.2	4.1	5.5	4.2	79	"	"	"	(2) (3) (1)
202	5.5	4.3	4.8	3.7	79	"	"	"	(2) (3) (1)
207	6.6	5.7	6.0	5.4	78	14 Aug '59	5700	Cow Creek, 5 mi N. of Strawberry, Tuolumne Co., Calif 17-6	(3) (1)
208	6.8	5.1	5.9	4.5	69	"	"	"	(3) (2) (1)
209	3.2	2.4	3.0	2.1	63	"	"	"	(1)
210	2.7	2.1	2.6	1.4	55	"	"	"	(2?) (2)

Species *Sceloporus occidentalis*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	Mov. length (mm)	Date collected	Altitude (ft)	Locality	Remarks
211	2.6	1.8	2.4	2.1	67	26 Aug '59	4100	Phelan, 14-3 San Bernardino Co., Calif.	1
212	3.6	2.6	3.8	2.9	66	"	"	"	1
213	3.6	2.4	3.8	2.6	69	"	"	"	1 7
214	2.7	2.0	2.7	1.7	61	"	"	"	1
215	3.0	2.3	3.2	2.4	65	"	"	"	1 7
218	3.9	2.7	4.2	3.0	70	"	"	"	1
219	2.9	2.4	3.0	2.1	64	"	"	"	1
220	3.6	2.9	3.8	2.6	75	"	"	"	1
221	2.7	2.0	2.6	1.8	65	"	"	1 mi E. of Phelan, 14-3 San Bernardino Co., Calif.	1
222	3.6	3.0	3.8	2.7	63	"	"	2 mi E. of Phelan, 14-3 San Bernardino Co., Calif.	1
223	2.6	2.1	2.7	1.8	63	"	"	"	1
224	4.4	3.5	4.4	3.5	63	"	"	"	1 7
227	4.4	3.3	4.2	3.0	74	"	3650	Hesperia, 10-3 San Bernardino Co., Calif.	1

Species *Sciurospermus occidentalis*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
228	2.9	2.4	3.3	2.6	62	26 Aug '59	3600	Hesperia, 10-3 San Bernardino Co., Calif	1 7 2?
230	6.2	4.1	6.0	4.2	80	"	3900	7 mi N.W. of Cajon Jct., San Bernardino Co., Calif.	3 7 1
233	6.9	5.3	6.3	5.4	78	"	7550	3 mi W. of Big Pines, 11-2 Los Angeles San Bernardino Co., Calif.	3 7 1
235	4.8	4.1	4.5	4.2	71	"	"	"	3 1
237	4.1	3.2	3.8	3.0	68	"	7700	"	1
238	4.4	3.2	4.1	3.0	68	29 Aug '59 [redacted]	6300	South Fork Campground, Barton Flats, San Bernardino Co., Calif 8-3	1 7
240	8.3	7.7	8.4	7.7	79	"	"	"	3 7 1
244	5.0	4.4	4.8	4.1	75	15 Sept. '59	4100	Phelan, San Bernardino Co., Calif. 14-3	3 1
245	4.5	4.1	4.5	3.6	70	"	"	"	1 7
247	4.5	3.3	4.1	3.5	74	"	"	"	1 7
248	4.5	3.5	4.2	3.2	68	"	4800	3 mi. S. of Big Rock Springs, Los Angeles Co., Calif. 10-2	1 7
249	7.2	6.5	6.3	6.2	78	"	"	"	3 7 1
251	3.9	3.0	3.9	3.5	75	8 July 59	5200	Camp Emerson, 1 mi. from 9-1 Idyllwild, Riverside Co., Calif.	kept frozen 7
254	2.6	1.7	2.9	1.7	62	"	"	"	2? " "

Species Sceloporus occidentalis

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
256	2.0	1.4	2.1	1.4	53	26 Sept. '59	1200	UCR, Riverside Co., Calif. 1-1	2 1
259	5.1	4.4	5.0	4.1	75	28 Sept. '59	"	"	5 1
261	6.9	6.0	6.6	6.3	66	11 Oct. '59	4200	2 mi. S. of Phelan, San Bernardino Co., Calif. 14-3	1 7
262	8.3	6.5	8.0	7.1	74	"	"	"	1 7
263	8.0	7.1	9.3	8.4	79	"	"	"	1 7
266	7.5	7.5	6.9	6.2	65	"	"	1 mi. S. of Phelan, San Bernardino Co., Calif. 14-3	1 7
269	7.7	6.2	7.5	7.5	74	"	4100	3 mi. W. of Phelan, San Bernardino Co., Calif. 14-3	1 7
271	10.7	9.0	9.5	8.0	72	14 Mar. '60	1650	4 mi. S.E. of Nuevo, Riverside Co., Calif. 22-1	1 4 8
272	8.4	8.1	9.3	7.5	70	"	"	"	1 4 8
273	9.3	8.4	8.9	7.8	75	"	2050	10 mi. S.E. of Nuevo, Riverside Co., Calif. 22-1	1 4 Apparently just getting into breeding condition.
274	9.9	8.6	9.0	7.5	78	3 Apr. '60	2700	4 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 4 8
275	10.7	9.2	9.6	8.4	80	2 Apr. '60	2960	3 mi. N. of Cedar Springs, San Bernardino Co., Calif. 8-3	1 4 7 slight 8
277	9.8	8.7	9.5	8.6	78	"	"	"	1 4 8
278	9.0	7.8	8.9	8.0	79	"	"	"	1 4 8

Species *Sceloporus occidentalis*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Scents
279	11.0	9.5	12.0	9.0	78	2 Apr. '60	2960	3 mi. N. of Cedar Springs, San Bernardino Co., Calif. 8-3	1 4 7 8
281	10.4	9.5	11.3	8.4	78	"	"	"	1 4 8
283	10.2	9.9	11.6	9.5	81	"	"	"	1 4 8
284	11.4	10.2	11.0	9.0	82	"	"	"	1 4 8
286	10.2	9.5	10.5	8.7	80	"	"	"	1 4 8
288	11.0	9.9	11.6	9.3	81	"	"	"	1 4 7 8
290	5.4	5.1	5.9	4.5	53	"	"	"	1 2
291	9.0	7.5	9.0	7.2	70	"	"	"	1 4 8
292	11.3	9.8	10.8	8.9	80	"	"	"	1 4 8
~~293~~									
294	11.3	10.5	10.8	9.9	78	"	"	"	1 7
297	9.8	8.6	9.3	7.8	74	"	3900	8 mi. E. of Phelan, San Bernardino Co., Calif. 14-3	1 4 8
300	8.7	8.1	9.8	7.8	68	"	3950	1 mi. E. of Phelan, San Bernardino Co., Calif. 14-3	1 4 8

Species *Sceloporus occidentalis*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft)	Locality	Dissect
301	8.3	8.3	9.6	6.9	66	3 Apr. '60	1200	1 mi. S. of UCR, Riverside Co., Calif. 1-1	1 4 8
302	9.5	9.0	9.9	8.1	75	"	"	"	1 4 8
303	9.8	9.5	10.8	8.1	73	"	1500	1 mi. N. of Sunnymead, Riverside Co., Calif. 1-1	1 4 8
304	9.5	8.4	9.0	8.1	77	"	1800	3 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 4 7 8
305	6.9	6.5	7.1	5.4	56	"	"	"	1 2? 7
306	9.5	8.7	10.2	7.8	74	"	2000	"	1 4 8
310	8.0	6.5	6.9	6.0	75	28 May '60	5000	Forest Home, San Bernardino Co., Calif. 8-3	1 4 8
311	9.9	8.6	9.0	8.0	81	"	"	"	1 4 8
313	6.9	5.3	6.6	4.7	62	1 June '60	800	Chino, San Bernardino Co., Calif. 35-3	1
315	4.8	3.5	4.4	3.5	78	16 July, '60	2950	3 mi. N. of Cedar Springs, San Bernardino Co., Calif. 8-3	7 1 slight 4
316	5.4	3.9	5.4	4.2	81	"	~8000	Blue Ridge, Los Angeles Co., Calif. 11-2	Dissected 8/3/60 1 4 7 slight 8 9
318	2.9	2.1	2.7	2.1	67	26 July '60	~2000	Buckhorn Canyon, near Cuyama River, Santa Barbara Co., Calif. 11-9	1 slight 4 7 slight 8 9 Dissected 8/3/60
322	6.6	5.3	6.6	5.3	74	25 Sept. '60	1560	La Crescenta, Los Angeles Co., Calif. 39-2	1 7

Sceloporus occidentalis

323	7.5	5.3	7.8	4.8	73	1 Nov. '60	800	Rubidoux, Riverside Co., Calif. 1-1	① ⑦	
326	10.5	8.7	11.0	8.0	75	24 Nov. '60	100	9 mi. S. of Modesto, Stanislaus Co., Calif. 63-7	① ⑦	(Hibernating)
327	10.7	10.1	11.7	9.8	73	"	"	"	① ⑦	(Hibernating)
328	9.8	9.3	10.2	8.1	75	"	"	"	① ⑦	(Hibernating)
329	6.5	5.9	6.6	6.0	66	18 Jan. '61	1200	UCR campus, Riverside Co., Calif. 1-1	① ⑦	
330	9.9	8.3	9.8	8.3	73	12 Feb. '61	1600	1 mi. W. of U.S. 395 on Alessandro, Riverside Co., Calif. 1-1	① ⑦	
331	9.3	8.6	9.0	8.4	82	"	"	"	①	
332	9.8	6.9	7.7	7.5	78	"	1950	3 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	① ⑦	
333	9.9	8.4	9.8	8.4	73	"	1600	1 mi. W. of U.S. 395 on Alessandro, Riverside Co., Calif. (1 mi. W. of Alessandro) 1-1	① ⑦	
334	9.2	8.3	8.7	7.1	80	"	"	"	① ⑦	
335	9.9	8.3	10.1	8.3	78	"	"	"	① ⑦	
337	11.1	9.3	10.5	8.0	88	Oct. 1960	1035	Canyon Crest, Riverside Co., Calif. 1-1	① ⑦	Autopsied 2/17/61 (9)
338	8.4	7.4	8.6	6.8	68	"	780	Rubidoux, Riverside Co., Calif. 1-1	①	Autopsied 2/17/61. (9)
339	5.9	5.1	6.0	4.8	54	"	900	Victoria Ave., Riverside, Riverside Co., Calif. 1-1	① (2?)	Autopsied 2/17/61. (9)

Sceloporus occidentalis

340	6.8	6.5	8.9	6.8	65	Oct. 1960	900	Victoria Ave., Riverside, Riverside Co., Calif. 1-1	1 7 slight 4	Autopsied 2/17/61
343	3.5	2.9	3.6	3.0	59	"	"	"	1 2?	Autopsied 2/17/61.
344	7.2	6.9	6.0	5.9	67	18 Feb. '61	1600	1 mi. W. of Highway 395 at Alessandro, Riverside Co., Calif. 1-1	1	
345	9.6	9.3	9.3	8.3	81	"	"	"	1 7	
347	3.6	3.2	3.0	2.6	54	21 Feb. '61	1200	UCR campus, Riverside Co., Calif. 1-1	1 2?	
348	9.2	7.5	9.8	8.3	75	25 Feb. '61	"	"	1 4 8	
349	8.1	6.8	7.1	6.2	68	"	"	"	1	
350	9.5	8.1	9.0	7.2	76	"	"	"	1	
351	9.5	8.3	9.5	7.8	77	"	780	Rubidoux, Riverside Co., Calif. 1-1	1 slight 4 7 slight 8	
352	9.8	8.6	9.3	7.2	76	"	"	"	1 4 7 8	
353	11.7	8.6	12.8	9.3	77	"	"	"	1 4 7 8	
354	8.7	7.4	9.3	7.5	68	"	"	"	1 4 7 8	
362	7.2	6.3	7.4	6.6	60	"	"	"	1 2?	
363	5.7	5.0	6.0	4.8	56	"	1200	UCR campus, Riverside Co., Calif. 1-1	1 2?	

Sceloporus occidentalis

364	9.6	8.1	9.5	7.5	69	25 Feb. '61	780	Rubidoux, Riverside Co., Calif. 1-1	1 slight 4 7
365	7.4	6.5	8.0	6.0	66	5 Mar. '61	1600	1 mi. W. of Alessandro, Riverside Co., Calif. 1-1	1 7
366	10.5	9.9	11.0	8.4	80	"	"	"	1 4 7 8
368	9.8	7.8	8.9	8.1	70	8 Mar. '61	1200	UCR campus, Riverside Co., Calif. 1-1	1 4 7 8
373	7.4	6.8	8.1	6.8	65	"	"	"	1 slight 4
374	8.7	8.3	8.4	6.6	65	13 Mar. '61	2000	2 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1
375	8.0	6.8	8.1	7.1	67	11 Mar. '61	1200	UCR, Riverside Co., Calif. 1-1	1 4 8
377	7.5	6.8	7.7	6.8	67	"	"	"	1 4 8
378	8.3	7.5	8.1	7.4	69	"	"	"	1 4 8
379	9.8	8.1	9.9	7.2	79	"	"	"	1 4 8
381	10.1	8.4	10.2	8.3	76	13 Mar. '61	"	"	1 4 8
384	10.8	8.6	11.6	10.1	74	"	"	"	1 4 8
386	9.9	8.7	9.9	9.2	74	"	"	"	1 4 7 8
387	9.6	8.4	9.5	9.0	74	"	"	"	1 4 7 8

Sceloporus occidentalis

388	8.3	7.4	7.8	6.8	69	13 Mar. '61	1200	UCR campus, Riverside Co., Calif. 1-1	1 4 8
389	7.1	6.0	6.5	5.7	63	"	"	"	1 4 7 8
390	7.7	6.9	8.1	7.4	72	"	2000	2 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 4 7 8
392	7.5	6.6	7.5	6.8	68	18 Mar. '61	1100	UCR campus, Riverside Co., Calif. 1-1	1 4 8
394	8.3	7.4	8.4	7.5	71	"	"	"	1 4 8
395	9.6	8.3	9.8	8.4	78	"	"	"	1 4 8
397	9.0	7.5	9.0	7.2	66	"	"	"	1 4 8
398	7.8	6.3	7.2	6.2	61	"	"	"	1 4 8
399	7.2	6.8	6.8	6.8	69	"	"	"	1 4 8
402	8.4	7.2	8.3	7.2	72	21 Mar. '61	"	"	1 4 8
403	8.4	8.3	8.6	8.0	72	"	"	"	1 4 8
404	6.2	4.8	5.6	5.0	58	"	"	"	1 2
406	7.4	6.0	6.5	6.5	65	"	"	"	1 4 8
407	7.5	6.3	6.8	6.5	68	"	"	"	1 4 8

Sceloporus occidentalis

408	7.1	6.5	7.4	6.5	61	21 Mar. '61	1100	UCR campus, Riverside Co., Calif. 1-1	1
409	10.8	9.0	10.1	8.4	78	"	"	"	1 4 8 7
410	8.1	7.5	7.5	6.3	67	23 Mar. '61	1200	2 mi. S. of UCR, Riverside Co., Calif. 1-1	1 7 slight 4
411	9.9	8.4	8.1	7.1	73	"	"	"	1 7 4 8
412	9.8	8.7	9.3	7.7	75	"	"	"	1 4 8
415	9.9	8.7	8.7	8.1	78	"	1100	UCR, Riverside Co., Calif. 1-1	1 4 7 8
417	8.9	8.3	8.6	8.6	70	"	"	"	1 4 8
418	10.5	8.4	10.7	8.7	83	29 Mar. '61	1200	2 mi. S. of UCR, Riverside Co., Calif. 1-1	1 4 7 8
419	8.3	7.2	9.8	7.5	75	"	"	"	1 4 7 almost 8 lateral projection on L. testis
420	7.5	6.3	6.3	5.6	65	"	"	"	1 2 projections on L. testis.
421	6.5	5.7	6.9	6.0	68	"	"	"	1 slight 4
422	6.0	5.6	6.0	5.1	60	"	"	"	1 slight 4 projection on L. testis.
427	8.3	6.9	8.3	6.9	65	1 Apr. '61	100	9 mi. S. of Modesto, Stanislaus Co., Calif. 63-7	1 4 8
428	8.7	7.5	8.3	8.1	71	"	780	Rubidoux, Riverside Co., Calif. 1-1	1 4 8

SCELOPORUS OCCIDENTALIS

429	9.5	8.1	9.0	8.0	69	1 Apr. '61	780	Rubidoux, Riverside Co., Calif. 1-1	1 4 8
430	6.8	5.7	6.3	5.4	61	"	"	"	1
431	8.4	7.5	9.2	8.0	72	"	"	"	1 4 7 8
432	3.3	3.2	3.0	2.6	59	"	"	"	1 2?
437	1.8	0.9	1.8	1.1	41	"	"	"	1 2
438	2.1	1.7	2.4	1.8	50	"	"	"	1 2
439	8.6	7.7	8.3	8.1	73	11 Apr. '61	1900	Mt. Rubidoux, Riverside Co., Calif. 1-1	1 4 7 8
442	9.0	7.7	9.0	7.8	78	"	"	"	1 4 8
443	8.0	6.8	8.0	7.1	65	"	"	"	1 4
444	8.7	8.3	8.7	7.2	78	"	"	"	1 4 8
446	7.2	6.2	6.5	6.3	77	27 Apr. '61	1200	UCR, Riverside Co., Calif. 1-1	1 4 7 8
447	7.7	6.2	8.0	6.3	74	"	"	"	1 4 7 8
448	2.1	1.2	2.6	1.5	52	"	"	"	1 2
449	7.1	6.6	6.8	6.[illegible]	70	"	"	"	1 4 7 8

SCELOPORUS OCCIDENTALIS

450	7.1	6.5	7.8	6.5	65	29 Apr. '61	1200	UCR, Riverside Co., Calif. 1-1	1 4 8
452	7.2	7.1	7.7	6.3	67	"	"	"	1 4 8
454	7.1	6.3	7.4	6.2	72	12 May '61	"	"	1 4 8
455	4.1	3.2	4.1	3.2	65	16 May '61	"	"	1 2?
460	8.9	7.4	8.4	6.6	70	21 May '61	6000	Fern Basin Campground, Riverside Co., Calif. 9-1	1 4 8
461	9.0	8.3	8.9	7.8	81	"	5500	1/2 mi. S. of Lake Fulmor, Riverside Co., Calif. 9-1	1 4 7 8
462	8.0	6.2	7.4	7.2	84	"	"	"	1 4 7 8
464	8.0	7.1	8.4	7.4	80	"	"	"	1 4 7 8
465	7.4	5.9	6.8	5.6	82	"	"	"	1 4 7 8
466	9.0	8.7	7.7	7.2	85	"	"	"	1 4 7 8 Knob on left testis.
468	9.6	9.6	8.9	8.4	83	"	"	"	1 4 8
471	9.9	8.0	9.3	7.7	81	"	"	"	1 4 7 8
477	9.5	7.7	8.6	6.6	85	"	"	"	1 4 8
478	8.7	7.5	8.3	7.8	86	"	"	"	1 4 8

SCELOPORUS OCCIDENTALIS

483	8.6	7.4	8.1	6.9	76	21 May '61	5500	½ mi. S. of Lake Fulmor, Riverside Co., Calif. 9-1	1 4 8
484	8.4	7.7	8.7	7.8	73	"	"	"	1 4 7 8
485	8.4	7.2	8.1	7.2	80	"	"	"	1 4 8
486	8.3	7.7	9.0	6.9	85	"	"	"	1 4 7 8
487	9.0	7.5	9.0	8.3	83	"	"	"	1 4 7 8
488	8.6	7.5	7.7	7.2	82	"	"	"	1 4 7 8
491	6.9	6.2	6.6	6.2	75	25 May '61	2850	4 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 4 7 8
492	4.8	4.4	4.7	4.2	66	"	1200	UCR, Riverside Co., Calif. 1-1	1 4 8-3mm
493	2.6	2.3	3.2	1.8	60	21 June '61	2700	4 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1
494	3.6	2.3	3.5	2.6	73	22 June '61	1700	Val Verde, Riverside Co., Calif. 12-1	1 7
497	3.2	2.4	3.3	2.1	66	23 June '61	"	"	1 7
498	5.1	3.3	4.8	3.8	77	"	"	"	1 7
499	6.0	5.0	5.7	4.4	79	"	"	"	1 7
501	5.3	4.4	4.7	3.9	72	26 Sept. '61	1800	"	1 7

504	8.3	6.6	9.0	7.1	68	28 Mar. '62	—	San Diego, San Diego Co., Calif. 65-5	1 B2 4 8 16
505	9.0	7.8	9.6	8.6	81	21 Apr. '62	1100	UCR, Riverside Co., Calif. 1-1	1 B3 4 8+ 16
506	9.5	8.6	9.8	9.0	74	"	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	1 B3 4 8+ 16
507	8.4	7.1	8.6	8.1	69	"	"	"	1 B3 4 8+ 16
508	10.2	8.1	10.1	8.6	78	"	"	"	1 B3 4 8+ 16
509	9.2	7.4	10.1	7.1	75	"	"	"	1 B3 4 8+ 16 7
510	10.1	9.0	9.8	9.6	85	"	"	"	1 B3 4 8+ 16
511	9.5	8.3	9.0	8.3	82	"	1100	UCR, Riverside Co., Calif. 11-1	1 B3 4 8+ 16
513	9.0	7.8	9.0	8.6	81	30 Apr. '62	"	"	1 B3 4 8 16
514	8.6	7.5	8.3	7.5	80	"	"	"	1 B3 4 8 16
518	9.0	7.8	9.0	8.3	80	1 May '62	6100 ~~7386~~	~~Blue Ridge, Los Angeles Co., Calif.~~ Wrightwood, San Bernardino Co., Calif. 11-2	B3 1 4 8+ 16
519	9.3	8.9	9.0	8.3	83	"	6350	Big Pines Los Angeles Co., Calif. 11-2	B3 1 4 8+ 16
520	8.7	7.8	8.7	6.8	76	"	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	B3 1 4 8+ 16
524	10.1	8.4	9.6	8.1	80	"	"	"	B3 1 4 8+ 16

Species SCELOPORUS OCCIDENTALIS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
525	9.0	8.3	8.3	8.3	73	1 May '62	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	B3 1 4 8+ 16
529	9.0	8.3	9.0	7.8	75	"	"	"	B3 1 4 8 16
530	8.7	8.0	9.0	8.0	75	"	"	"	B3 1 4 8 16
531	9.9	9.9	9.6	8.9	77	"	"	"	B3 1 4 8 16
532	9.5	9.0	10.5	7.8	79	"	"	"	B3 1 4 8 16
533	9.0	8.7	8.7	8.0	79	"	"	"	B3 1 4 8 16
534	9.0	8.1	9.3	8.6	78	"	"	"	B3 1 4 8 16
535	9.9	9.0	10.8	9.0	76	"	"	"	B3 1 4 8 16
537	8.6	7.5	9.2	8.6	72	"	"	"	B3 1 4 8 16
539	10.1	9.0	8.9	8.6	80	"	"	"	B3 1 4 7 8 16
540	8.3	7.5	9.5	8.3	77	"	"	"	B3 1 4 7 8 16
541	8.1	7.7	8.3	7.2	67	"	"	"	B3 1 4 8 16

Species SCELOPORUS OCCIDENTALIS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
542	9.8	8.6	10.1	8.6	78	1 May '62	7386	Blue Ridge, Los Angeles Co., Calif. 11-2	B3 1 4 8 16
543	10.1	8.6	9.3	7.4	75	"	"	"	B3 1 7 4 8 16
544	9.6	7.8	10.2	7.5	80	"	"	"	B3 1 4 8 16
545	9.2	8.0	8.4	7.5	76	"	"	"	B3 1 4 8 16
546	9.0	8.9	9.8	7.7	77	"	"	"	B3 1 4 8 16
547	8.3	7.5	9.0	7.1	80	4 May '62	3190	Hesperia, San Bernardino Co., Calif. 10-3	B3 4 7 8 13 16
548	8.0	7.1	8.7	7.2	71	"	"	"	B3 1 4 84 16
550	7.2	6.6	7.8	7.1	68	"	"	"	B2 1 4 84 16
551	7.5	6.9	8.0	6.8	70	"	"	"	B3 1 4 8 16
552	7.7	7.2	8.1	7.1	73	"	"	"	B3 1 4 8 16
553	7.1	6.6	7.5	6.5	68	"	"	"	B3 1 4 8 16
554	7.4	7.1	7.7	6.5	70	"	"	"	B2 1 4 8 16

Species SCELOPORUS OCCIDENTALIS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
555	6.8	6.5	7.4	6.0	64	4 May '62	3190	Hesperia, San Bernardino Co., Calif. 10-3	B2 1 4 8 16
559	8.0	7.1	9.0	7.4	77	18 May '62	2450	Bautista Canyon, Riverside Co., Calif. 48-1	B2 1 4 8 16
560	8.0	6.5	8.3	7.7	75	"	3000	"	B3 1 4 8 16
561	8.7	7.4	9.3	7.8	80	"	"	"	B3 1 4 8 16
562	9.8	7.5	8.4	8.4	83	"	3800	"	B3 1 4 8 16
563	7.5	6.9	8.4	6.8	72	20 May '62	5350	7 mi. N. of Idyllwild, Riverside Co., Calif. 9-1	B3 1 4 8 16
564	8.0	7.2	8.1	7.5	74	"	"	"	B3 1 4 8 16
565	8.4	7.8	8.4	7.1	81	"	"	"	B3 1 4 8 16
567	8.0	7.2	8.4	7.2	80	"	5500	1/2 mi. S. of Lake Fulmor, Riverside Co., Calif. 9-1	B3 1 4 8 16
568	8.0	7.1	8.0	6.8	77	"	"	"	B3 1 4 8 16
569	8.9	8.1	8.1	7.8	78	3 June '62	6000	Dark Canyon Campground, Riverside Co., Calif. 9-1	B3 1 4 8 16 lump on right testis
571	6.6	5.9	7.2	6.0	65	16 JUNE, '62	3000	DEEP GREEK CAMPGROUND, SAN BERNARDINO Co, CALIF. 10-3	13 B3 7 16 4 8

Species Sceloporus occidentalis

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
572	2.9	2.3	2.9	2.0	59	16 June, 62	3000	DEEP CREEK CAMPGROUND, SAN BERNARDINO Co., CALIF. 16-3	B2 22 21 16
573	6.3	5.0	6.3	4.7	78	"	"	"	B3 7 1 4 8+ 16
574	4.8	4.2	5.4	4.5	69	"	"	"	B2 1 4 7 8+ 16
576	5.0	4.2	4.8	4.1	69	"	"	"	B2 7 1 4 8+ 16
579	7.2	6.2	8.0	5.4	70	"	"	"	B2 7 1 4 8+ 16
582	6.8	5.4	7.7	6.0	73	17 June, 62	"	"	B2 7 1 4 8+ 16
583	6.5	6.0	6.3	5.7	80	24 June '62	3500	Mill Creek Canyon, San Bernardino Co., Calif. 73-3	B3 1 4 8+ 16
585	6.0	5.0	6.2	4.8	71	26 June '62	7386	BLUE RIDGE, LOS ANGELES Co., CALIF. 11-2	B3 7 1 4 8+ 16 FEW SPERM MOVING.
586	5.9	4.4	4.8	4.7	76	27 June '62	6000	WRIGHTWOOD, " , " 11-2	B3 1 4 8+ 16 FEW SPERM MOVING
587	4.1	2.9	3.8	2.7	64	"	7300	BLUE RIDGE, LOS ANGELES Co., CALIF. 11-2	B2 16 1 ~~FEW SPERM MOV.~~
588	6.8	6.0	6.5	6.2	75	"	5100	CRYSTAL LAKE, LOS ANGELES Co., CALIF. 66-2	B3 7 1 4 8+ 16 FEW SPERM MOVING
590	7.2	7.2	7.4	7.4	73	"	5000	"	B3 1 4 8+ 16

Species Sceloporus occidentalis

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
591	7.5	6.5	7.7	6.0	74	27 June '62	5250	Crystal Lake, Los Angeles Co., Calif. 66-2	B3 1 4 8+ 16
592	7.2	6.3	7.8	7.2	84	"	"	"	B3 1 4 8+ 16
593	6.6	5.7	6.3	5.4	74	29 June '62	850	Riverside, Riverside Co., Calif. 1-1	B2 1 4 7 8+ 16
594	6.9	6.0	6.9	5.7	75	"	"	"	B3 1 4 7 8+ 16
596	6.8	5.9	7.4	5.9	74	"	"	"	B3 4 1 (8+) 16 TERM END OF VAS DEFERENS CLEAR.
597	7.5	6.8	8.0	6.8	74	"	"	"	B3 1 4 8+ 16
598	5.7	4.5	5.4	4.2	75	"	"	"	B3 1 4 8+ 16 VAS DEF. QUITE CLEAR AT BACK
600	6.3	5.6	6.0	5.0	68	"	"	"	B3 1 4 8+ 16
601	6.2	5.0	6.5	5.3	72	"	"	"	B3 7 1 4 (8+) 16
603	6.0	5.4	6.0	4.5	64	"	"	"	B3 1 4 (8+) 16
605	7.2	6.5	6.9	5.7	78	"	"	"	B3 1 4 (8+) 16
607	4.5	4.2	3.8	3.6	78	25 July, '62	7386	Blue Ridge, Los Angeles Co., Calif.	B3 1 4 8- 16 slight

Species *Sceloporus occidentalis*.

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
608	4.5	3.5	3.9	3.6	79	25 July, '62	8100 ~~7350~~	Blue Ridge, Los Angeles Co., Calif. 11-2	1 4 7 8+ 16
609	7.8	6.3	7.8	5.9	65	10 Apr. '63	1100	UCR, Riverside Co., Calif. 1-1	1 B2 4 8 7 17
610	8.0	6.6	7.4	7.2	75	"	"	"	1 B3 4 7 8 16
611	9.3	7.5	9.6	7.8	68	24 Apr. '63	5850	2 mi. N. of Pine Cove, Riverside Co., Calif. 9-1	B3 1 7 16
612	9.6	8.0	10.4	8.7	78	"	"	"	B3 1 7 16
613	9.5	9.5	9.6	9.0	75	"	"	"	B3 1 7 16
614	8.7	8.3	8.9	8.3	77	25 Apr. '63	1200	UCR, Riverside Co., Calif. 1-1	B3 1 4 8 16
616	9.8	8.3	9.8	8.6	77	20 May '63	7300	Blue Ridge ~~Los Angeles~~ ~~San Bernardino Co.~~, Calif. 11-2	B2 1 4 8 16
617	9.8	7.7	8.3	7.4	80	"	"	"	B3 1 4 8 16 7
618	9.0	8.6	8.9	7.8	81	18 May '63	"	Black Mt. Riverside Co., Calif. 9-1	B3 7 1 4 8 16
620	7.4	6.8	8.1	6.3	80	5 Jun 63	6300	Barton Flats San Bernardino Co., Calif. 5-3	B3 1 4 8 16
625	4.2	3.0	4.4	3.3	82	15 Jul 63	"	"	B3 7 4 8 16 1

Species SCELOPORUS GRACIOSUS

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	s-v length (mm)	Date collected	Altitude (ft.)	Locality	Remarks
626	6.0	5.3	5.6	5.1	80	16 Jul 63	6300	Pine Cove Riverside Co., Calif. 1-1	1 4 5 16 7 B3
627	3.9	2.7	3.9	2.7	75	18 Jul 63	7384	Blue Ridge Los Angeles ~~San Bernardino Co~~, Calif. 11-2	B3 7 4 8 16 1
628	4.1	3.5	4.2	4.1	82	"	"	"	B3 7 1 4 8 16
632	3.0	2.0	3.0	2.1	61	11 Aug. 63	6300	Pine Cove Riverside Co., Calif. 9-1	B2 7 16 1 20 13 2?
633	2.9	2.3	3.0	2.0	60	13 Aug 63	7386	Blue Ridge Los Angeles Co., Calif. 11-2	B2 7 16 2? DOA
639	5.3	4.8	5.1	4.7	78	"	6300	Barton Flats San Bernardino Co., Calif. 8-3	B2 7 16 DOA
640	2.7	2.4	3.0	2.1	61	"	"	"	B2 16 2? 7
641	9.8	8.3	10.5	9.3	78	24 Feb. '64	1200	UCR, Riverside Co., Calif. 1-1	B3 4 16

Sceloporus occidentalis biseriatus

Male #1

2 mi. below Seymour Camp, Mt. Pinos, Ventura Co.	SOB-2 UCLA 3516	Oct. 9 1948		79.0		10mm greatest diameter	Artemesia tr
.2 mi. W1 of Chandlers, Los Angeles Co. el. 4000'	SOB-3 UCLA 3515	Oct. 9 1948		77.0		8.5mm GD	
Camp McGill, Mt. Pinos, ~~XXXXXXXXXX~~ Kern Co. el. 7450'	SOB-4 UCLA 3518	Oct. 10 1948	35.4	61.0		6mm GD	Yellow Pine
Malibu Canyon near Crater Camp, Santa Monica Mts. Los Angeles Co.	SOB-6 UCLA 3526	Oct. 24 1948		69.0	(Fixed)	8.5 GD	
Same as Above	SOB-7 UCLA 3527	Oct.24 1948		65.0		8.0 and 7.0mm GD	
Tapia Park, Santa Monica Mts, Los Angeles Co.	SOB-8 UCLA 3909	Mar. 6 1949		75.0	(Fixed)	9.0mm	RGZ-351
Same as above	SOB-9 UCLA 3910	Mar. 6, 1949		70mm		9mm	RGZ-353
Malibu Canyon near Crater Camp, Santa Monica Mts. Los Angeles Co. Calif.	SOB-11 UCLA 4083	Apr.9 1949	33.0°	78mm	(Fixed)	11-12mm, vasa distended	RGZ-421
Junction Beverly Glen and Mulholland Drive, Santa Monica Mts, Los Angeles Co.	SOB-13 UCLA 4120	Apr.16 1949	35.0	73mm		testes 9 mm, vasa obvious	RGZ-424
Stone Canyon Road North of Mullholland Drive, Santa Monica Mts, Los Angeles Co.	SOB-14 UCLA 4121	Apr 16 1949	35.2	69	(Fixed)	testes 9-10mm, vasa distended	RGZ-427
Tujunga, N. edge Verdugo Hills, Los Angeles Co.	SOB-15	Apr.18 1949			(Fixed)		
Big Tujunga Canyon, San Gabriel Mts.	SOB-19	May 6 1949		73		testes 8mm, epid distended	RGZ-541

Sceloporus occidentalis biseriatus — Male — Sheet 2

Tapia Park, Santa Monica Mts. Los Angeles Co.	SOB-20	May 8 1949	34.0	74.0		Testes 9mm, epid distended	RGZ-545
Tapia Park	SOB-21	May 8 1949		70.0		Testes 8mm, epid distended	RGZ-547
Saddle Peak, Santa Monica Mts.	SOB-22	May 8 1949		70.0		Testes 8-9mm epid distended	RGZ-551
Tapia Park, Santa Monica Mts., Los Angeles County	SOB-24	June 14 1949	36.2	71.0	(Fixed)	Testes 7 mm long	RGZ-613
Same as above	SOB-25	June 14 1949	34.6	75.0	(Fixed)	Testes 7 mm. long	RGZ-614
N. Laurel Canyon, Santa Monica Mts.	SOB-27	Aug. 19 1949		67.0	(Fixed)	Testes very tiny, 3mm	RGZ-701

Scelopoeus orcutti

species Sceloporus orcutti



ad = 90 mm

① ~~Left~~ testis removed & fixed in Bouin's Sol.
② Immature
③ ~~Left testis removed & fixed in 10% Formalin & in Bouin's Sol.~~

Lg No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Elevation (ft)	Locality	
									See Front page
4	4	2.5	4	2.5	107	8/8/58	1200	UCR, Riverside Co., Calif. 1-1	Killed Aug 20. Had been kept with ♀ in cage. Vas deferens very distinct ⑧
5	4.25	2.25	4.5	2.5	106	8/21/58	"	"	⑧
6	3.5	2.25	3.25	2.75	109	"	"	"	Blue colors posterior half. ⑧
7	3.25	2	3	1.75	90	"	"	"	Stomach full of large, winged ants. No blue coloration on belly
10	2.75	1.75	2.5	1.5	83	9/12/58	"	2 mi So. UCR on Canyon Crest Drive 1-1	②
11	6	3	4	4.25	104	"	"	"	
12	5.5	3.25	5	3.25	106	"	"	"	Had unmelted band around middle
13	2.5	1.75	2.5	1.75	80	9/27/58	"	UCR, Riverside Co., Calif. 1-1	Left testis [illegible] ②
15	5	4.5	5.5	4.0	92	17 Jan 1959	"	2 mi So. UCR on Canyon Crest Dr. Riverside Co., Calif 1-1	"
16	6	5.0	7	5.0	92	"	"	"	"
19	7.2	5.5	7.2	5.2	106	3 Mar 1959	"	"	"
21	7.0	5.5	7.5	6.2	99	11 Apr 1959	"	UCR campus Riverside Co., Cal. 1-1	③ ①
22	6.8	4.6	6.2	5.0	101	"	"	"	③ ①

Species Sceloporus orcutti

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Remarks
23	8.1	5.1	7.5	5.9	110	29 May 59	1500	12 mi. S.E. of Riverside on Pigeon Pass Rd. Riverside Co., Calif. 1-1	7 3 4 8 1
24	9.0	6.0	8.3	6.5	101	"	3000	Top of Box Springs Mt. 4 mi E. of Riverside, Riverside Co., Calif. 1-1	7 4 3 8 1
25	8.9	6.2	8.3	5.7	111	"	"	"	7 3 4 8 1
29	8.3	7.2	8.3	6.6	92	24 Jun '59	1850	3 mi No. of Sunnymead (Pigeon Pass Rd) Riverside Co., Calif. 1-1	7 3 4 8 1
30	7.8	5.6	8.1	5.4	93	"	"	"	7 3 4 8 1
31	1.7	1.1	1.5	1.2	58	"	"	"	2 1 7
34	8.1	7.4	8.3	6.5	110	7 July '59	1200	UCR Campus, Riverside Co., Calif. 1-1	8 3 4 1
35	7.8	6.0	7.8	6.3	96	"	"	"	8 4 3 1
36	7.2	5.4	6.9	5.9	94	"	"	"	3 4 8 1
37	1.5	0.9	1.5	0.9	61	"	"	"	2 1
38	7.2	5.7	6.9	5.6	101	9 July '59	2200	4 mi N.W. of Sunnymead Riverside Co., Cal. 1-1	3 4 8 7 1
39	6.5	4.5	6.2	4.4	90	"	"	"	7 3 1
40	3.0	1.7	3.0	1.8	77	"	"	"	7 1 2 Testis spoiled.

Species Sceloporus orcutti.

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
41	2.3	1.4	2.3	1.4	73	9 July 59	2200	4 mi N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 2
42	1.7	1.1	1.7	1.1	66	"	"	"	1 2
43	1.5	1.1	1.7	1.2	70	"	"	"	1 2
44	2.1	1.1	2.0	1.1	65	"	2600	"	1 2
45	6.0	4.5	5.9	4.7	90	"	"	"	7 3 1
51	8.1	5.4	8.0	6.6	114	15 July '59	2200	"	7 3 4 8 1
55	9.2	6.2	7.8	6.3	110	"	2850	"	3 4 8 7 1
56	7.8	5.7	7.5	6.0	107	"	"	"	7 3 4 8 1
57	7.5	5.6	7.4	5.7	99	"	"	"	7 3 4 8 1
59	8.1	6.5	7.5	6.5	111	"	"	"	3 4 7 8 1
62	8.3	6.6	8.4	6.2	104	"	"	"	3 4 8 1
63	3.9	3.0	3.9	2.7	87	"	"	"	7 1 Small hemorrhages on testes
61	2.4	1.8	3.3	1.8	80	"	"	"	1 7 Mistaken for ♀ because of absence of enlarged Post-anal scales

Species *Sceloporus orcutti*

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V Length (mm)	Date collected	Altitude (ft)	Locality	Remarks
66	3.2	2.1	2.9	2.0	81	21 Aug. '58	1200	UCR campus, Riverside Co., Calif. 1-1	(2?) (9) (1)
67	5.6	3.8	5.2	4.7	107	5 Aug '59	2200	4 mi N.W. of Sunnymead, Riverside Co., Calif. 1-1	(7) (3) (4) (8) (1)
68	6.6	4.6	6.3	4.4	112	"	"	"	(7) (3) (4) (8) (1)
69	2.4	1.3	2.3	1.0	70	"	"	"	(2) (1)
70	7.2	4.6	8.0	5.7	106	"	"	"	(3) (4) (8) (7) (1)
71	5.3	3.7	5.3	3.9	93	"	"	"	(3) (4 slight) (7) (1)
72	5.1	3.6	5.8	3.5	102	"	"	"	(3) (1) (4) (7) (8) see collection sheet
74	5.1	3.5	5.0	3.5	109	12 Aug '59	1200	2 mi S. of UCR campus, Riverside Co., Calif. 1-1	(3) (4) (7) (8) (1)
75	1.3	0.8	1.2	0.9	61	"	"	"	(2) (1)
77	4.9	3.0	4.8	3.6	100	"	"	"	(3) (4) (7) (8) (1)
79	5.0	3.5	4.9	3.8	106	"	1800	3 mi N. of Sunnymead, Riverside Co., Calif. 1-1	(7) (3) (4) (8) (1)
81	5.3	3.6	5.2	3.5	95	"	"	"	(7)
82	2.0	1.3	1.7	1.3	71	"	"	"	(1) (3)

Species Sceloporus occidentalis

Tag No.	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	Snv length (mm)	Date collected	Altitude (ft)	Locality	Remarks
87	2.2	1.0	1.9	1.0	72	8/6/59	5200	Camp Emerson 2 mi. S.W. of Idyllwild 9-1	1 2 7
88	2.0	1.5	2.2	1.1	70	"	"	"	1 2
89	1.8	1.5	2.0	1.3	63	"	"	"	1 2
90	4.6 [redacted]	3.4 [redacted]	4.8 [redacted]	3.3 [redacted]	101	8/6/59	5200	Camp Emerson 2 mi. S.W. of Idyllwild 9-1	7
91	11.0	8.0	9.8	7.1	101	14 Mar. '60	1680	3 mi. S.E. of Moreno, Riverside Co., Calif. 22-1	1
93	10.8	8.3	11.0	8.3	112	"	1650	4 mi. S.E. of Nuevo, Riverside Co., Calif. 22-1	1 Parasites in body cavity
94	6.8	5.6	7.1	4.7	99	"	"	"	1
97	10.5	9.0	10.8	9.0	100	3 Apr. '60	2000	3 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 4 8
98	3.9	2.9	4.1	2.9	82	"	2850	4 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 2
100	10.7	8.3	9.5	8.0	105	"	2700	"	1 4 8
104	6.5	4.7	6.8	5.7	107	17 Jan. '61	1200	UCR, Riverside Co., Calif. 1-1	1
108	5.9	3.9	6.3	4.2	104	31 Jan. '61	"	"	1 7
109	8.0	5.4	7.5	5.9	114	"	"	"	1 7
107	3.8	2.7	4.2	2.9	81	"	"	"	1 2?

Sceloporus orcutti

110	6.6	5.0	7.5	5.0	102	5 Feb. '61	1200	UCR, Riverside Co., Calif. 1-1	1 7
111	4.8	3.3	3.8	2.9	87	7 Feb. '61	"	"	1
112	7.5	4.2	7.7	5.0	110	"	"	"	1 7 very slight 4
113	7.1	5.9	5.7	5.6	105	21 Feb. '61	"	"	1
114	7.7	5.9	8.1	6.6	98	25 Feb. '61	"	"	1 7
115	6.2	4.2	5.1	4.2	97	"	"	"	1
117	8.9	6.8	7.8	5.9	106	27 Feb. '61	"	"	1
118	7.8	6.0	7.5	5.3	96	7 Mar. 61	2000	3 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1
119	5.3	3.8	5.9	3.8	100	13 Mar. '61	"	2 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1 7 slight 4
121	2.7	2.0	3.0	2.0	76	11 Mar. '61	"	"	1 2?
122	5.4	3.6	6.2	4.4	100	"	"	"	1 slight 4
124	5.7	3.8	4.8	3.8	103	13 Mar. '61	"	"	1 slight 4
125	6.0	4.5	6.6	4.8	99	"	"	"	1
127	6.6	5.0	7.2	5.1	98	"	"	"	1

Sceloporus orcutti

128	5.9	4.2	6.2	4.4	90	13 Mar. '61	~~2000~~	2 mi. N.W. of Sunnymead, Riverside Co., Calif. 1-1	1
131	9.2	7.7	9.2	7.1	101	21 Mar. '61	1100	UCR campus, Riverside Co., Calif. 1-1	1 4 7 8 - sperm within 4 mm of end of v. def.
132	8.3	7.2	8.4	7.5	102	"	"	"	1 4 7 8 - sperm within 4 mm. of end of vas deferens
135	6.3	5.6	6.3	5.3	102	29 Mar. '61	1200	2 mi. S. of UCR, Riverside Co., Calif. 1-1	1 slight 4 heavily infested with parasites.
136	10.4	7.8	10.1	7.8	115	11 Apr. '61	1900	Mt. Rubidoux, Riverside Co., Calif. 1-1	1 7 4 8
137	8.7	7.4	8.9	7.4	103	"	"	"	1 4 7 8
138	3.2	2.1	3.3	2.3	77	"	"	"	1 2? 7
139	3.2	2.1	3.5	2.4	78	"	"	"	1 2?
140	7.5	6.3	7.2	5.7	90	"	"	"	1 7
141	5.6	4.7	4.5	3.3	89	"	"	"	2? 1
142	6.3	5.4	7.1	5.7	84	"	"	"	2? 1
144	9.5	7.4	10.2	8.4	113	"	"	"	1 4 7 8 - 4 mm
146	8.6	7.1	9.0	7.5	110	"	"	"	1 4 8 - 6 mm
148	3.0	2.4	3.0	2.4	77	"	"	"	2? 1 7

Sceloporus orcutti

149	9.5	6.2	8.3	5.7	114	11 Apr. '61	1900	Mt. Rubidoux, Riverside Co., Calif. 1-1	1 4 7
150	10.5	8.3	10.1	7.7	115	"	"	"	1 4 7 8
151	9.2	7.2	9.3	7.2	105	"	"	"	1 4 7 8
154	8.0	6.2	8.7	6.5	112	27 Apr. '61	1200	UCR, Riverside Co., Calif. 1-1	1 4 7 8
155	6.3	4.7	5.7	4.7	97	"	"	"	1 7
158	3.0	2.3	3.6	2.0	85	"	"	"	1 7
159	8.0	6.2	8.9	6.0	100	"	"	"	1 4 7 8
160	7.5	6.0	7.8	6.8	105	"	"	"	1 4 7 8
162	6.6	4.8	6.9	5.9	96	16 May '61	"	"	1 4 7 8
163	9.3	7.2	10.1	6.8	100	21 May '61	5500	½ mi. S. of Lake Fulmor, Riverside Co., Calif. 9-1	1 4 7 8
165	4.1	2.9	3.3	2.6	78	"	"	"	1 2? 7
167	10.8	7.5	10.7	7.4	108	"	"	"	1 4 7 8
168	7.4	5.6	7.4	4.7	90	"	"	"	1 4 7
169	11.0	8.4	10.8	8.7	106	"	"	"	1 4 7 8

SCELOPORUS ORCUTTI

173	7.2	5.7	6.9	4.7	98	25 May '61	2850	4 mi. N. W. of Sunnymead, Riverside Co., Calif. 1-1	①④⑧	
175	8.3	7.2	9.3	7.2	102	3 June '61	4300	8 mi. S. of Rumorosa, Baja Calif., Mexico 79-16	①④⑦⑧	
176	7.8	5.9	7.5	5.7	95	22 June '61	1600	1 mi. W. of Alessandro, Riverside Co., Calif. 1-1	①④⑧	
177	9.0	6.9	8.7	6.8	110	"	1700	Val Verde, Riverside Co., Calif. 12-1	①④⑧	
178	7.7	6.2	6.3	6.0	101	"	"	"	①④⑦⑧	
179	8.9	7.5	9.8	7.4	106	"	"	"	①④⑦⑧	
180	8.6	7.7	9.3	7.2	114	"	"	"	①④⑦⑧	
181	8.7	6.9	9.8	7.1	110	"	"	"	①④⑦⑧	
183	7.1	6.0	6.9	5.3	94	23 June '61	"	"	①④⑧	
184	8.3	6.6	8.3	6.9	102	"	"	"	①④⑦⑧	
185	9.0	7.2	8.3	6.8	110	"	"	"	①④⑦⑧	
186	7.7	5.9	7.2	5.4	101	"	"	"	①④⑦⑧	
191	8.0	5.6	7.5	5.3	113	26 June '61	1825	Gavilan Hills, Riverside Co., Calif. 67-1	①④⑧	
193	3.2	1.5	3.5	1.8	40 (67)	18 Jan. '61	1200	UCR, Riverside Co., Calif. 1-1	①⑦⑦②⑨	Dissected 7/3/61.

SCELOPORUS ORCUTTI

Tr...	Left testis (mm) Length	Left testis (mm) Width	Right testis (mm) Length	Right testis (mm) Width	S-V length (mm)	Date collected	Altitude (ft)	Locality	Remarks
195	2.4	1.8	2.6	1.7	45 (67)	7 Mar. '61	1200	UCR, Riverside Co., Calif. 1-1	1 2 7++ 9 Dissected 7/3/61.
196	2.0	1.5	2.3	1.5	48 (63)	23 Mar. '61	"	"	1 2 7++ 9 Dissected 7/3/61.
201	5.7	3.6	5.1	3.3	106	8 Aug. '61	1700	Val Verde, Riverside Co., Calif. 12-1	1 4 7 8
204	4.2	2.7	3.9	2.9	86	27 Sept. '61	"	"	1 7
205	5.6	3.8	4.8	4.2	104	"	"	"	1 7
206	3.3	2.0	3.5	2.0	89	"	1800	"	1 7 No enlarged post-anal scales.
207	4.8	3.5	5.4	2.9	97	"	"	"	1 7 Very slightly enlarged post-anal scales.
209	8.6	6.6	7.2	5.3	94	26 Mar. '62	1200	UCR campus, Riverside Co., Calif. 1-1	1 slight 4 17 B2 vas def. beginning to get white
210	8.1	6.9	8.0	6.3	90	30 Apr. '62	1100	"	1 B2 4 8+ 16
212	7.8	6.2	8.7	6.2	108	12 May 62	"	"	B3 1 4 8 16
214	9.9	5.9	9.8	6.8	91	19 May '62	5350	7 mi. N. of Idyllwild, Riverside Co., Calif. 9-1	B2 1 4 8 16


R-371
STEEL BACKPLATE
S. E. & M. VERNON, INC.
U. S. A.